



USA STANDARD GEAR

OE Replacement Driveshafts

USA Standard driveshafts are an affordable, ready-to-install option to replace worn or damaged driveshafts in SUV, passenger car & light-duty trucks. USA Standard replacement parts provide years of service to the vehicle.

- Over 600 part numbers available
- Nearly 1300 applications covered
- Ford, GM, Chrysler, Jeep, Toyota & other import applications
- Models covered from 1966 to present



USAStandardGear.com

USA Standard Gear® Driveshafts

PART #	FITS	DESCRIPTION
ZDS9330	Buick	Fits '02-'07 Buick Rainier front with 4.2L engine. 26 1/2" long weld to weld.
ZDS9307	Cadillac	Fits '99-'00 Cadillac Escalade front, with NP8 transfer case. 27 1/4" long weld to weld.
ZDS9362	Cadillac	Fits '99-'00 Cadillac Escalade front with 4L80E automatic transmission. 33 1/2" long from center of u/joint caps.
ZDS9363	Cadillac	Fits '02-'06 Cadillac Escalade front with active brake control. 27 1/4" long weld to weld.
ZDS9390	Cadillac	Fits '00-'07 Cadillac Escalade four wheel drive rear. 60 1/4" long from center of u/joint caps.
ZDS9519B	Cadillac	Fits '07-'10 Cadillac Escalade front with active brake control. 25" long from weld to weld.
ZDS9306	Chevy/GM	Fits '99-'00 GM Avalanche 1500 front. 26" long weld to weld.
ZDS9306A	Chevy/GM	Fits '00-'02 GM Suburban front. 26" long weld to weld.
ZDS9306B	Chevy/GM	Fits '04-'07 GM Silverado & Sierra 1500 front, 6 lug without all wheel drive. 26" long weld to weld.
ZDS9306C	Chevy/GM	Fits '03-'07 GM Avalanche 1500 front, without active brakes. 26" long weld to weld.
ZDS9306D	Chevy/GM	Fits '99-'07 GM Silverado & Sierra 1500 front, without active brakes. 26" weld to weld.
ZDS9306E	Chevy/GM	Fits 2002 GM Avalanche 1500 front. 26" long weld to weld.
ZDS9306F	Chevy/GM	Fits '03-'05 GM Silverado & Sierra 1500 crew cab front, without active brakes. 26" long weld to weld.
ZDS9306G	Chevy/GM	Fits '04-'07 GM Silverado & Sierra 1500 crew cab front, without active brakes. 26" long weld to weld.
ZDS9306H	Chevy/GM	Fits '03-'06 GM Silverado & Sierra 1500 crew cab front, without active brakes. 26" long weld to weld.
ZDS9306I	Chevy/GM	99-'02 GM Silverado & Sierra 1500 front, non-crew cab, without active brakes. 26" long weld to weld.
ZDS9306J	Chevy/GM	Fits 2000 GM Silverado & Sierra 2500 front. 26" long weld to weld.
ZDS9306K	Chevy/GM	Fits '01-'03 GM Silverado & Sierra 1500 front, non-crew cab. 26" long weld to weld.
ZDS9306L	Chevy/GM	Fits 2002 GM Silverado & Sierra 1500 front, non-crew cab. 26" long weld to weld.
ZDS9306M	Chevy/GM	Fits 2001 GM Silverado & Sierra 1500 front, non-crew cab. 26" long weld to weld.
ZDS9306N	Chevy/GM	Fits '99-'00 GM Silverado & Sierra 1500 front. 26" long weld to weld.
ZDS9306O	Chevy/GM	Fits '03-'05 GM Silverado & Sierra 1500 front, without active brakes. 26" long weld to weld.
ZDS9306P	Chevy/GM	Fits '00-'01 GM Silverado & Sierra 2500 with automatic transmission. 26" long weld to weld.
ZDS9306Q	Chevy/GM	Fits '02-'04 GM Tahoe & Yukon front. 26" long weld to weld.
ZDS9306R	Chevy/GM	Fits '03-'05 GM Tahoe & Yukon front, without active brakes. 26" long weld to weld.
ZDS9306S	Chevy/GM	Fits '00-'02 GM Tahoe & Yukon front, excluding Denali. 26" long weld to weld.
ZDS9306T	Chevy/GM	Fits '03-'05 GM Yukon XL front, without active brakes, non-Denali. 26" long weld to weld.
ZDS9306U	Chevy/GM	Fits '00-'02 GM Yukon XL 1500 front, excluding Denali. 26" long weld to weld.
ZDS9306V	Chevy/GM	Fits '00-'01 GM Yukon XL 2500 front. 26" long weld to weld.
ZDS9307A	Chevy/GM	Fits '98-'99 GM 1500 & 2500 front with 4-switch dash control. 27" long weld to weld.
ZDS9307B	Chevy/GM	Fits '00-'07 GM Silverado & Sierra 2500 & 3500 front with five speed automatic transmission. 27" long weld to weld.
ZDS9307C	Chevy/GM	Fits '98-'99 GM Suburban 1500 & 2500 front with 4-switch dash control. 27" long weld to weld.
ZDS9307D	Chevy/GM	Fits '98-'00 GM Tahoe & Yukon front with 4-switch dash control & 4L60E automatic transmission. 27" long weld to weld.
ZDS9307E	Chevy/GM	Fits '00-'01 GM ZK 1500 front with 4-switch dash control.
ZDS9308	Chevy/GM	Fits 2001 GM Silverado & Sierra 2500 & 3500 front with six speed manual transmission. 26 1/8" long weld to weld.
ZDS9309	Chevy/GM	Fits 2001 GM Silverado & Sierra 2500 & 3500 front with five speed manual transmission. 26" long weld to weld.
ZDS9310	Chevy/GM	Fits 2000 GM Suburban & Yukon XL 2500 front. 29 1/4" long from center of u/joint caps.
ZDS9310A	Chevy/GM	Fits 2000 GM Silverado & Sierra 2500 front with automatic transmission. 29 1/4" long from center of u/joint caps.
ZDS9320	Chevy/GM	Fits '66-'69-1/2 Blazer & Jimmy front. 23 1/4" long from center of u/joint caps.
ZDS9320A	Chevy/GM	Fits '66-'69-1/2 GM K10 & K15 front. 23 1/4" long from center of u/joint caps.
ZDS9320B	Chevy/GM	Fits '66-'69-1/2 GM K20 & K25 front. 23 1/4" long from center of u/joint caps.
ZDS9321	Chevy/GM	Fits late '69-'72 Blazer & Jimmy front. 26 3/32" long from center of u/joint caps.
ZDS9321A	Chevy/GM	Fits late '69-'72 GM K10 & K15 front. 26 3/32" long from center of u/joint caps.
ZDS9321B	Chevy/GM	Fits late '69-'72 GM K20 & K25 front. 26 3/32" long from center of u/joint caps.
ZDS9329	Chevy/GM	Fits '98-'00 GM Envoy & Trailblazer front. 19" long weld to weld.
ZDS9329A	Chevy/GM	Fits '98-'05 GM S10, S15 & Sonoma front with NP8 transfer case. 19" long weld to weld.
ZDS9331	Chevy/GM	Fits '77-'79 GM K30 & K35 front with manual transmission. 23 5/32" long from center of u/joint caps.
ZDS9332	Chevy/GM	Fits '02-'03 GM S10, S15 & Sonoma front with solid bar shaft. 19 1/4" long weld to weld.

USA Standard Gear® Driveshafts

PART #	FITS	DESCRIPTION
ZDS9332A	Chevy/GM	Fits '99-'03 GM S10, S15 & Sonoma front with built in four switch dash control.
ZDS9333	Chevy/GM	Fits '73-'77 GM Blazer & Jimmy front with automatic transmission & yoke at the transfer case. 27 7/8" long from center of u/joint caps.
ZDS9333A	Chevy/GM	Fits '73-'77 GM K10 & K15 with 5.7L engine & automatic transmission. 27 7/8" long from center of u/joint caps.
ZDS9333B	Chevy/GM	Fits 1977 GM K20 & K25 front with 5.7L engine, automatic transmission & 7200lb or 8600lb GVW. 27 7/8" long from center of u/joint caps.
ZDS9333C	Chevy/GM	Fits '73-'76 GM K20 & K25 front with 5.7L engine, automatic transmission & 7200lb GVW. 27 7/8" long from center of u/joint caps.
ZDS9333D	Chevy/GM	Fits '73-'76 GM K20 & K25 front with 5.7L engine, automatic transmission & 8600lb GVW. 27 7/8" long from center of u/joint caps.
ZDS9334	Chevy/GM	Fits '73-'77 GM Blazer & Jimmy front with manual transmission & yoke at the transfer case. 24 5/8" long from center of u/joint caps.
ZDS9334A	Chevy/GM	Fits '73-'77 GM K10 & K15 front with 250 engine, manual transmission & yoke at the transfer case. 24 5/8" long from center of u/joint caps.
ZDS9334D	Chevy/GM	Fits 1977 GM K20 & K25 front with manual transmission, yoke at transfer case & either 7200lb or 8600lb GVW. 24 5/8" long from center of u/joint caps.
ZDS9334E	Chevy/GM	Fits '73-'76 GM K20 & K25 front with 250 engine, manual transmission, yoke at transfer case & either 7200lb or 8600lb GVW. 24 5/8" long from center of u/joint caps.
ZDS9334F	Chevy/GM	Fits '73-'76 GM K20 & K25 front with 250 engine, manual transmission, yoke at transfer case & 8600lb GVW. 24 5/8" long from center of u/joint caps.
ZDS9336	Chevy/GM	Fits '77-'79 GM K30 & K35 front with automatic transmission. 29" long from center of u/joint caps.
ZDS9337	Chevy/GM	Fits '77-'80 GM Blazer & Jimmy front with automatic transmission. 27 1/2" long from center of u/joint caps.
ZDS9337A	Chevy/GM	Fits '77-'80 GM K10 & K15 front with automatic transmission & flange at transfer case. 27 1/2" long from center of u/joint caps.
ZDS9337B	Chevy/GM	Fits '77-'80 K20 & K25 front with automatic transmission, flange at transfer case & either 7200lb or 8600lb GVW. 27 1/2" long from center of u/joint caps.
ZDS9338	Chevy/GM	Fits '77-'80 GM Blazer & Jimmy front with manual transmission. 23 7/8" long from center of u/joint caps.
ZDS9338A	Chevy/GM	Fits '77-'80 GM K10 & K15 front with manual transmission & flange at the transfer case. 23 7/8" long from center of u/joint caps.
ZDS9338B	Chevy/GM	Fits '77-'80 GM K20 & K25 front with manual transmission, flange at the transfer case & either 7200lb or 8600lb GVW. 23 7/8" long from center of u/joint caps.
ZDS9339	Chevy/GM	Fits '81-'91 GM Blazer & Jimmy front. 29 1/2" long from center of u/joint caps.
ZDS9339A	Chevy/GM	Fits '81-'91 GM K10 & K15 front. 29 1/2" long from center of u/joint caps.
ZDS9339B	Chevy/GM	Fits '81-'87 GM K20 & K25 front with 7200lb or 8600lb GVW. 29 1/2" long from center of u/joint caps.
ZDS9339C	Chevy/GM	Fits 1991 GM Suburban front with manual transmission. 29 1/2" long from center of u/joint caps.
ZDS9339D	Chevy/GM	Fits '80-'90 GM Suburban front. 29 1/2" long from center of u/joint caps.
ZDS9343	Chevy/GM	Fits 2000 GM Yukon Denali front with 4L60E automatic transmission. 27 1/4" long from center of u/joint caps.
ZDS9344	Chevy/GM	Fits '88-'94 GM K2500 front with 8600lb GVW, excluding Saginaw flange. 30" long from center of u/joint caps.
ZDS9346	Chevy/GM	Fits '92-'94 GM Blazer & Jimmy front with gas engine & automatic transmission. 28 1/2" long from center of u/joint caps.
ZDS9346A	Chevy/GM	Fits 1994 GM K1500 front with gas engine & automatic transmission. 28 1/2" long from center of u/joint caps.
ZDS9346B	Chevy/GM	Fits '88-'93 GM K1500 front. 28 1/2" long from center of u/joint caps.
ZDS9346C	Chevy/GM	Fits '88-'94 GM K2500 front with gas engine, automatic transmission & 7200lb GVW. 28 1/2" long from center of u/joint caps.
ZDS9346D	Chevy/GM	Fits '92-'94 K3500 front with four speed automatic transmission. 28 1/2" long from center of u/joint caps.
ZDS9346E	Chevy/GM	Fits 1994 GM Suburban front with gas engine & automatic transmission. 28 1/2" long from center of u/joint caps.
ZDS9346F	Chevy/GM	Fits '92-'93 GM Suburban front. 28 1/2" long from center of u/joint caps.
ZDS9346G	Chevy/GM	Fits 1994 GM Tahoe & Yukon front with gas engine & automatic transmission. 28 1/2" long from center of u/joint caps.
ZDS9347	Chevy/GM	Fits '92-'94 GM K3500 front with five speed manual transmission. 26 1/2" long from center of u/joint caps.
ZDS9347A	Chevy/GM	Fits '88-'91 GM K3500 front, excluding 4-door crew cab. 26 1/2" long from center of u/joint caps.
ZDS9348	Chevy/GM	Fits '92-'94 GM Blazer & Jimmy front with diesel engine & automatic transmission. 28 3/4" long from center of u/joint caps.
ZDS9348A	Chevy/GM	Fits 1994 GM K1500 front with diesel engine & automatic transmission. 28 3/4" long from center of u/joint caps.
ZDS9348B	Chevy/GM	Fits '92-'94 K2500 front with diesel engine, automatic transmission & 7200lb GVW. 28 3/4" long from center of u/joint caps.
ZDS9348C	Chevy/GM	Fits 1994 GM Suburban front with diesel engine & automatic transmission. 28 3/4" long from center of u/joint caps.

USA Standard Gear® Driveshafts

PART #	FITS	DESCRIPTION
ZDS9348D	Chevy/GM	Fits 1994 GM Tahoe & Yukon front with diesel engine & automatic transmission. 28 3/4" long from center of u/joint caps.
ZDS9349	Chevy/GM	Fits 1991 GM Suburban front with four speed automatic transmission. 29 1/2" long from center of u/joint caps.
ZDS9351	Chevy/GM	Fits 1991 GM K3500 front with four speed automatic transmission and four door crew cab. 26 1/8" long from center of u/joint caps.
ZDS9351A	Chevy/GM	Fits '80-'86 GM K30 & K35 front with automatic transmission & four door crew cab. 26 1/8" long from center of u/joint caps.
ZDS9353	Chevy/GM	Fits 1991 GM K3500 front with manual transmission & four door crew cab. 22 3/4" long from center of u/joint caps.
ZDS9353A	Chevy/GM	Fits '88-'90 GM K3500 front with manual transmission & four door crew cab. 22 3/4" long from center of u/joint caps.
ZDS9353B	Chevy/GM	Fits 1987 GM K3500 front. 22 3/4" long from center of u/joint caps.
ZDS9353C	Chevy/GM	Fits '80-'86 GM K30 & K35 front with manual transmission. 22 3/4" long from center of u/joint caps.
ZDS9354	Chevy/GM	Fits '92-'96 GM Blazer S10 & S15 rear. 31" long from center of u/joint caps.
ZDS9355	Chevy/GM	Fits '91-'98 GM Astro & safari van front with all wheel drive. 30 1/4" long from flange to flange.
ZDS9357	Chevy/GM	Fits '92-'94 GM Syclone & Typhoon front. 25 1/4" long flange to flange.
ZDS9358	Chevy/GM	Fits '83-'94 GM S10 Blazer, S15 & Sonoma front. 26" long from center of u/joint caps.
ZDS9359	Chevy/GM	Fits '99-'05 GM S10 Blazer, S15 & Sonoma front with three switch 4x4. 29 1/2" long from flange to flange.
ZDS9359B	Chevy/GM	Fits '92-'96 GM S10 Blazer, S15 & Sonoma front. Excluding 3.42 or 3.73 ratios. Excluding HD tow package. 29 1/2" long from flange to flange.
ZDS9359C	Chevy/GM	Fits '91-'92 Isuzu Rodeo front with automatic transmission. 29 1/2" long from flange to flange.
ZDS9360	Chevy/GM	Fits '95-'00 GM K1500 front with manual transmission. 32 1/2" long from center of u/joint caps.
ZDS9360A	Chevy/GM	Fits '95-'00 GM K2500 front with manual transmission & 7200lb GVW. 32 1/2" long from center of u/joint caps.
ZDS9360B	Chevy/GM	Fits '95-'99 GM Suburban front with manual transmission. 32 1/2" long from center of u/joint caps.
ZDS9360C	Chevy/GM	Fits '95-'97 GM Tahoe & Yukon front with five speed manual transmission. 32 1/2" long from center of u/joint caps.
ZDS9361	Chevy/GM	Fits '99-'00 Cadillac Escalade front with 4L60E automatic transmission. 31 3/4" long from center of u/joint caps.
ZDS9361A	Chevy/GM	Fits '95-'00 GM K1500 front with 4L60E automatic transmission. 31 3/4" long from center of u/joint caps.
ZDS9361B	Chevy/GM	Fits '95-'00 GM K2500 front with 4L60E automatic transmission & 7200lb GVW. 31 3/4" long from center of u/joint caps.
ZDS9361C	Chevy/GM	Fits '95-'00 GM K2500 front with four speed automatic transmission & 8600lb GVW. 31 3/4" long from center of u/joint caps.
ZDS9361D	Chevy/GM	Fits '95-'00 GM K3500 front with four speed automatic transmission. 31 3/4" long from center of u/joint caps.
ZDS9361E	Chevy/GM	Fits '95-'99 GM Suburban front with 4L60E automatic transmission. 31 3/4" long from center of u/joint caps.
ZDS9361F	Chevy/GM	Fits '95-'00 GM Tahoe & Yukon front with 4L60E automatic transmission. 31 3/4" long from center of u/joint caps.
ZDS9362A	Chevy/GM	Fits '95-'00 GM K1500 front with 4L80E automatic transmission. 33 1/2" long from center of u/joint caps.
ZDS9362B	Chevy/GM	Fits '95-'00 GM K1500 front with 4L80 automatic transmission & 7200lb GVW. 33 1/2" long from center of u/joint caps.
ZDS9362C	Chevy/GM	Fits '95-'99 GM Suburban front with 4L80 automatic transmission. 33 1/2" long from center of u/joint caps.
ZDS9362D	Chevy/GM	Fits '95-'00 GM Tahoe & Yukon front with 4L80 automatic transmission. 33 1/2" long from center of u/joint caps.
ZDS9363A	Chevy/GM	Fits '02-'06 GM Tahoe & Yukon front with active brake control. 27 1/4" long weld to weld.
ZDS9363B	Chevy/GM	Fits '02-'03 GM Silverado & Sierra front. Excluding crew cab. 27 1/4" long weld to weld.
ZDS9364A	Chevy/GM	Fits '95-'98 GM S10 Blazer, S15 & Sonoma all wheel drive front with 3.42 or 3.73 ratios & HD tow package. 25 1/4" long from weld to weld.
ZDS9366	Chevy/GM	Fits '95-'00 GM K2500 front with manual transmission & 8600lb GVW. 30 1/8" long from center of u/joint caps.
ZDS9366A	Chevy/GM	Fits '95-'00 GM K3500 front with five speed manual transmission. 30 1/8" long from center of u/joint caps.
ZDS9370	Chevy/GM	Fits '92-'96 GM S10 Blazer, S15 & Sonoma rear with 205 or 241 transfer case. 58 1/8" long from center of u/joint caps.
ZDS9370A	Chevy/GM	Fits '92-'96 GM Suburban rear with 205 or 241 transfer case. 58 1/8" long from center of u/joint caps.
ZDS9371	Chevy/GM	Fits '02-'03 GM S10 Blazer, S15 & Sonoma rear with 208 or 241 transfer case & extended cab. 68 1/4" long from center of u/joint caps.
ZDS9371A	Chevy/GM	Fits '01-'03 GM Silverado & Sierra rear with 208 or 241 transfer case. 68 1/4" long from center of u/joint caps.
ZDS9391	Chevy/GM	Fits '03-'06 GM Avalanche front with active brake control. 29 5/8" long from center of u/joint caps.
ZDS9515	Chevy/GM	Fits '99-'04 GM S10 Blazer, S15 & Sonoma four wheel drive rear. 36 3/8" long from center of u/joint caps.
ZDS9515A	Chevy/GM	Fits '99-'04 GM S10 Blazer, S15 & Sonoma four wheel drive rear with option code Np8. 36 3/8" long from center of u/joint caps.
ZDS9516	Chevy/GM	Fits '04-'10 Colorado & Canyon all wheel drive front with square CV flange. 21" long from center of u/joint caps.
ZDS9518	Chevy/GM	Fits '02-'07 Avalanche 2500 front. 26" long from weld to weld.
ZDS9518A	Chevy/GM	Fits '04-'07 GM Silverado & Sierra 1500 crew cab front with eight lug wheels. 26" long from weld to weld.

USA Standard Gear® Driveshafts

PART #	FITS	DESCRIPTION
ZDS9518B	Chevy/GM	Fits '01-'07 GM Silverado & Sierra crew cab front. 26" long from weld to weld.
ZDS9518C	Chevy/GM	Fits '00-'07 Silverado & Sierra 3500 front with four speed automatic transmission. 26" long from weld to weld.
ZDS9518D	Chevy/GM	Fits '01-'07 GM Silverado & Sierra 2500 & 3500 front with 4L80E automatic transmission. 26" long from weld to weld.
ZDS9518E	Chevy/GM	Fits '00-'07 GM Silverado & Sierra 2500 front with four speed automatic transmission. 26" long from weld to weld.
ZDS9518F	Chevy/GM	Fits '04-'07 GM Silverado & Sierra 1500 front with eight lug wheels. 26" long from weld to weld.
ZDS9518G	Chevy/GM	Fits '02-'07 GM Silverado & Sierra 1500 front with four speed automatic transmission. 26" long from weld to weld.
ZDS9518H	Chevy/GM	Fits '08-'09 GM Silverado & Sierra 2500 front with six speed automatic transmission. 26" long from weld to weld.
ZDS9518I	Chevy/GM	Fits '02-'05 GM Silverado & Sierra 2500 & 3500 front with five speed automatic transmission. 26" long from weld to weld.
ZDS9518J	Chevy/GM	Fits '01-'09 GM Suburban & Yukon XL front. 26" long from weld to weld.
ZDS9518K	Chevy/GM	Fits '07-'09 GM Silverado & Sierra 3500 front with six speed automatic transmission. 26" long from weld to weld.
ZDS9518L	Chevy/GM	Fits '01-'07 GM Silverado & Sierra 3500 front with 630L engine & automatic transmission. 26" long from weld to weld.
ZDS9519	Chevy/GM	Fits '01-'09 GM Silverado & Sierra 1500 front. 25" long from weld to weld.
ZDS9519A	Chevy/GM	Fits '02-'04 GM Silverado & Sierra 1500 front with active brakes. Non-crew cab. 25" long from weld to weld.
ZDS9519C	Chevy/GM	Fits '99-'09 GM Suburban 1500 front with active brake control. 25" long from weld to weld.
ZDS9519D	Chevy/GM	Fits '04-'07 GM Silverado & Sierra 1500 all wheel drive front with six lug axles. 25" long from weld to weld.
ZDS9519E	Chevy/GM	Fits '03-'07 Avalanche 1500 front with active brake control. 25" long from weld to weld.
ZDS9519F	Chevy/GM	Fits '02-'07 GM Tahoe & Yukon front with active brake control. 25" long from weld to weld.
ZDS9519G	Chevy/GM	Fits '99-'07 GM Silverado & Sierra 1500 front with active brake control. 25" long from weld to weld.
ZDS9519H	Chevy/GM	Fits '04-'07 GM Silverado & Sierra 1500 crew cab front with six lug wheels. 25" long from weld to weld.
ZDS9519I	Chevy/GM	Fits '02-'06 GM Denali front with active brake control. 25" long from weld to weld.
ZDS9519J	Chevy/GM	Fits '04-'07 GM Silverado & Sierra 1500 extended & crew cab front with active brakes. 25" long from weld to weld.
ZDS9519K	Chevy/GM	Fits '03-'06 GM Silverado & Sierra 1500 extended & crew cab front with active brakes. 25" long from weld to weld.
ZDS9519L	Chevy/GM	Fits '00-'02 GM Tahoe & Yukon front without active brakes. 25" long from weld to weld.
ZDS9520	Chevy/GM	Fits '01-'07 GM Silverado & Sierra 2500 & 3500 front with five speed automatic transmission or six speed manual transmission. 27 11/8" long from weld to weld.
ZDS9521	Chevy/GM	Fits '01-'07 GM Silverado & Sierra 1500 front with five speed automatic transmission. 30 3/4" long from center of u/joint caps.
ZDS9523	Chevy/GM	Fits '99-'07 GM Silverado & Sierra front with code GMT 800. 24 1/4" long from weld to weld.
ZDS9524	Chevy/GM	Fits '02-'06 GM Silverado 3500 front with four speed automatic transmission. 26 1/8" long from weld to weld.
ZDS9525	Chevy/GM	Fits '02-'04 GM Silverado & Sierra 1500 crew cab front with active brakes. 26" long from weld to weld.
ZDS9526	Chevy/GM	Fits 2002 GM Silverado & Sierra front. 24 1/4" long from weld to weld.
ZDS9527	Chevy/GM	Fits '99-'00 GM Silverado & Sierra 1500 & 2500 rear with option code DPB. 54 1/2" long from center of u/joint caps.
ZDS9528	Chevy/GM	Fits GM Silverado & Sierra 2500 rear with code GFL. 61" long from center of u/joint caps.
ZDS9529	Chevy/GM	Fits '99-'05 Silverado & Sierra rear with code KW1. 43 1/4" long from center of u/joint caps.
ZDS9530	Chevy/GM	Fits '03-'06 GM Suburban 1500 front without active brakes. 25" long from weld to weld.
ZDS9531	Chevy/GM	Fits '02-'04 GM Suburban 1500 rear. 54 1/4" long from center of u/joint caps.
ZDS9532	Chevy/GM	Fits '02-'04 GM Tahoe & Yukon front without active brakes. 26" long from weld to weld.
ZDS9536	Chevy/GM	Fits '03-'05 Ram 2500 & 3500 front with 5.7L engine & automatic transmission. 13 1/2" long from weld to weld.
ZDS9534	Chevy/GM	Fits 2006 Ram 2500 & 3500 front with 5.7L Hemi or Diesel engine & manual transmission. 13 1/2" long from weld to weld.
ZDS9101	Chrysler/ Dodge	Fits '99-'02 Ram 1500 Dana 44 front with gas engine, automatic transmission and NV 231HD transfer case. 28 9/16" long from center of u/joint caps.
ZDS9101A	Chrysler/ Dodge	Fits 1999 Ram 2500 regular cab Dana 44 front with 5.2L and 5.9L gas engines. 46RE automatic transmission & NV 241 transfer case. 28 9/16" long from center of u/joint caps.
ZDS9101B	Chrysler/ Dodge	Fits 1999 Ram 2500 regular cab front with 8.0" V10 engine, 47RE automatic transmission & NV 241 transfer case. 28 9/16" long from center of u/joint caps.
ZDS9101C	Chrysler/ Dodge	Fits 1999 Ram 2500 regular cab front with 5.9L diesel engine, 47RE automatic transmission & NV 241 transfer case. 28 9/16" long from center of u/joint caps.
ZDS9102	Chrysler/ Dodge	Fits '99-'02 Ram 1500 club cab Dana 44 front with 5.2L gas engine, A630 manual transmission and NV 231HD transfer case. 27 9/16" long from center of u/joint caps.

USA Standard Gear® Driveshafts

PART #	FITS	DESCRIPTION
ZDS9102A	Chrysler/ Dodge	Fits '99-'02 Ram 1500 regular cab Dana 44 front with 5.2L gas engine, A630 manual transmission and NV 231HD transfer case. 27 9/16" long from center of u/joint caps.
ZDS9102B	Chrysler/ Dodge	Fits 1999 Ram 2500 Dana 60 front with 5.2L & 5.9" engines, 46RE automatic transmission & NV 241 transfer case. 27 9/16" long from center of u/joint caps.
ZDS9102C	Chrysler/ Dodge	Fits 1999 Ram 2500 Dana 60 front with 5.2L & 5.9" engines, 46RE automatic transmission & NV 241HD transfer case. 27 9/16" long from center of u/joint caps.
ZDS9102D	Chrysler/ Dodge	Fits 1999 Ram 2500 regular cab Dana 60 front with 8.0L V10 and 5.9L diesel, A636 manual transmission & NV 241 transfer case. 27 9/16" long from center of u/joint caps.
ZDS9102E	Chrysler/ Dodge	Fits 1999 Ram 2500 regular cab Dana 60 front with 8.0L V10 and 5.9L diesel, A636 manual transmission & NV 241HD transfer case. 27 9/16" long from center of u/joint caps.
ZDS9102F	Chrysler/ Dodge	Fits 1999 Ram 2500 regular cab Dana 60 front with 5.2L & 5.9L, NV4500 manual transmission & NV 241 transfer case. 27 9/16" long from center of u/joint caps.
ZDS9102G	Chrysler/ Dodge	Fits 1999 Ram 3500 regular cab Dana 60 front with 5.9L gas engine, 46RE automatic transmission & NV 241HD transfer case. 27 9/16" long from center of u/joint caps.
ZDS9102H	Chrysler/ Dodge	Fits 1999 Ram 3500 club cab Dana 60 front with 5.9L gas engine, 46RE automatic transmission & NV 241HD transfer case. 27 9/16" long from center of u/joint caps.
ZDS9102I	Chrysler/ Dodge	Fits 1999 Ram 2500 club cab Dana 60 front with 8.0L V10 and 5.9L diesel, A636 manual transmission & ND 241 & NV 241HD transfer case. 27 9/16" long from center of u/joint caps.
ZDS9103	Chrysler/ Dodge	Fits 1999 Ram 2500 regular cab Dana 60 front with 8.0L V10, 47RE automatic transmission & NV 241HD transfer case. 29 1/8" long from center of u/joint caps.
ZDS9103A	Chrysler/ Dodge	Fits 1999 Ram 2500 regular cab Dana 60 front with 5.9L diesel, 47RE automatic transmission & NV 241HD transfer case. 29 1/8" long from center of u/joint caps.
ZDS9103B	Chrysler/ Dodge	Fits 1999 Ram 2500 club cab Dana 60 front with 8.0L V10 & 5.9L diesel, A636 manual transmission & NV 241HD transfer case. 29 1/8" long from center of u/joint caps.
ZDS9103C	Chrysler/ Dodge	Fits 1999 Ram 2500 regular cab Dana 60 front with 8.0L V10, A636 manual transmission & NV 241HD transfer case. 29 1/8" long from center of u/joint caps.
ZDS9103D	Chrysler/ Dodge	Fits 1999 Ram 3500 club cab & regular cab Dana 60 front with 8.0L V10 & 5.9L diesel, 47RE automatic transmission & NV 241HD transfer case. 29 1/8" long from center of u/joint caps.
ZDS9103E	Chrysler/ Dodge	Fits 1999 Ram 3500 regular cab Dana 60 front with 5.9L diesel, A636 manual transmission & NV 241HD transfer case. 29 1/8" long from center of u/joint caps.
ZDS9104	Chrysler/ Dodge	Fits 1999 Ram 2500 regular cab Dana 60 front with 5.2L & 5.9L gas engines, NV4500 manual transmission & NV 241HD transfer case. 27 1/8" long from center of u/joint caps.
ZDS9104A	Chrysler/ Dodge	Fits 1999 Ram 2500 regular cab & club cab Dana 60 front with 5.9L gas engine, NV4500 manual transmission & NV 241HD transfer case. 27 1/8" long from center of u/joint caps.
ZDS9104B	Chrysler/ Dodge	Fits 1999 Ram 3500 regular cab Dana 60 front with 5.9L gas engine, NV4500 manual transmission & NV 241HD transfer case. 27 1/8" long from center of u/joint caps.
ZDS9104C	Chrysler/ Dodge	Fits 1999 Ram 2500 regular cab Dana 60 front with 5.9L gas engine, NV4500 manual transmission & NV 241 & NV 241HD transfer case. 27 1/8" long from center of u/joint caps.
ZDS9105	Chrysler/ Dodge	Fits 1999 Ram 2500 regular cab Dana 60 front with 5.9L diesel, NV4500 manual transmission & NV 241 transfer case. 32 13/16" long from center of u/joint caps.
ZDS9105A	Chrysler/ Dodge	Fits 1999 Ram 2500 regular cab & club cab Dana 60 front with 5.9L diesel, NV4500 manual transmission & NV 241HD transfer case. 32 13/16" long from center of u/joint caps.
ZDS9106	Chrysler/ Dodge	Fits '00-'02 Ram 2500 club cab & regular cab Dana 60 front with 8.0L V10 & 5.9L diesel, 47RE automatic transmission & NV 241HD transfer case. 29 1/8" long from center of u/joint caps.
ZDS9106A	Chrysler/ Dodge	Fits '00-'02 Ram 3500 club cab & regular cab Dana 60 front with 8.0L V10 & 5.9L diesel, 47RE automatic transmission & NV 241HD transfer case. 29 1/8" long from center of u/joint caps.
ZDS9107	Chrysler/ Dodge	Fits '00-'02 Ram 2500 club cab & regular cab Dana 60 front with 5.9L gas engine, 47RE automatic transmission & NV 241HD transfer case. 27 9/16" long from center of u/joint caps.
ZDS9107A	Chrysler/ Dodge	Fits '00-'02 Ram 2500 club cab & regular cab Dana 60 front with 5.9L diesel, A636 manual transmission & NV 241HD transfer case. 27 9/16" long from center of u/joint caps.
ZDS9107B	Chrysler/ Dodge	Fits '00-'02 Ram 3500 club cab & regular cab Dana 60 front with 8.0L V10, RE46 automatic transmission & NV 241HD transfer case. 27 9/16" long from center of u/joint caps.
ZDS9107C	Chrysler/ Dodge	Fits '00-'02 Ram 3500 club cab & regular cab Dana 60 front with 8.0L V10 & 5.9L diesel, A636 manual transmission & NV 241HD transfer case. 27 9/16" long from center of u/joint caps.

USA Standard Gear® Driveshafts

PART #	FITS	DESCRIPTION
ZDS9108	Chrysler/ Dodge	Fits 1999 Ram 3500 Dana 60 front with 5.9L diesel, NV5600 manual transmission & NV 241 transfer case. 32 13/16" long from center of u/joint caps.
ZDS9109	Chrysler/ Dodge	Fits '00-'02 Ram 3500 Dana 60 front with 5.9L diesel, NV5600 manual transmission & NV 241 transfer case. 27 1/8" long from center of u/joint caps.
ZDS9195	Chrysler/ Dodge	Fits '07-'09 Dodge Aspen front with NV244 transfer case. 16" long from weld to weld.
ZDS9195A	Chrysler/ Dodge	Fits '07-'10 Dodge Dakota front with NV 233 or NV243 transfer case. 16" long weld to weld.
ZDS9195B	Chrysler/ Dodge	Fits '07-'09 Dodge Dakota front with NV244 transfer case. 16" long weld to weld.
ZDS9195C	Chrysler/ Dodge	Fits '04-'06 Dodge Durango front with NV144 transfer case. 16" long weld to weld.
ZDS9198	Chrysler/ Dodge	Fits '05-'11 Ram 1500 front with electronic shift on-the-fly. 19 1/2" weld to weld.
ZDS9198A	Chrysler/ Dodge	Fits '02-'06 Ram 1500 front with automatic transmission. 19 1/2" long weld to weld.
ZDS9204	Chrysler/ Dodge	Fits '07-'10 Ram 2500 & 3500 with 5.7L gas or 5.9L diesel & 6 speed automatic transmission.
ZDS9318	Chrysler/ Dodge	Fits '90-'93 Dodge W200 & W250 Dana 44 front with 4500lb capacity & three speed automatic transmission. 24 3/4" long from center of u/joint caps.
ZDS9318A	Chrysler/ Dodge	Fits '90-'93 Dodge W200 & W250 Dana 44 front with 4500lb capacity & manual automatic transmission. 24 3/4" long from center of u/joint caps.
ZDS9318B	Chrysler/ Dodge	Fits '87-'89 Dodge W200 & W250 Dana 44 front with 4500lb capacity. 24 3/4" long from center of u/joint caps.
ZDS9318C	Chrysler/ Dodge	Fits '75-'86 Dodge W200 & W250 Dana 44 front with part-time four wheel drive. 24 3/4" long from center of u/joint caps.
ZDS9318D	Chrysler/ Dodge	Fits '90-'93 Dodge W300 & W350 front with three speed automatic transmission. 24 3/4" long from center of u/joint caps.
ZDS9318E	Chrysler/ Dodge	Fits '90-'93 Dodge W300 & W350 front with manual transmission. 24 3/4" long from center of u/joint caps.
ZDS9318F	Chrysler/ Dodge	Fits '82-'89 Dodge W300 & W350 Dana 44 front with 4500lb capacity. 24 3/4" long from center of u/joint caps.
ZDS9318G	Chrysler/ Dodge	Fits '76-'81 Dodge W300 & W350 front with part-time four wheel drive. 24 3/4" long from center of u/joint caps.
ZDS9319	Chrysler/ Dodge	Fits '75-'86 Dodge W200 & W250 Dana 44 front with full time four wheel drive. 26 1/4" long from center of u/joint caps.
ZDS9319B	Chrysler/ Dodge	Fits '82-'89 Dodge W300 & W350 Dana 44 front with full time four wheel drive. 26 1/4" long from center of u/joint caps.
ZDS9319C	Chrysler/ Dodge	Fits '76-'81 Dodge W300 & W350 Dana 44 front with full time four wheel drive. 26 1/4" long from center of u/joint caps.
ZDS9333E	Chrysler/ Dodge	Fits '74-'75 Ramcharger & Trailduster front with yoke at the transfer case. 27 7/8" long from center of u/joint caps.
ZDS9333F	Chrysler/ Dodge	Fits 1975 Dodge W200 & W250 Dana 44 3500lb front with yoke at the transfer case. 27 7/8" long from center of u/joint caps.
ZDS9333G	Chrysler/ Dodge	Fits 1975 Dodge W200 & W250 Dana 44 4500lb front with yoke at the transfer case. 27 7/8" long from center of u/joint caps.
ZDS9333H	Chrysler/ Dodge	Fits 1975 Dodge W300 & W350 front. 27 7/8" long from center of u/joint caps.
ZDS9483	Chrysler/ Dodge	Fits '97-'98 Dodge Dakota front with manual transmission. 27 3/8" long from center of u/joint caps.
ZDS9484	Chrysler/ Dodge	Fits '97-'98 Dodge Dakota front with automatic transmission. 26 1/4" long from center of u/joint caps.
ZDS9514	Chrysler/ Dodge	Fits 2007 Dodge Dakota front with NV244 transfer case. 24 1/4" long from flange to flange.

USA Standard Gear® Driveshafts

PART #	FITS	DESCRIPTION
ZDS9514A	Chrysler/ Dodge	Fits '04-'07 Dodge Dakota front with 3.7L or 4.7L engine & manual transmission. 24 1/4" long from flange to flange.
ZDS9514B	Chrysler/ Dodge	Fits '01-'05 Dodge Dakota front with 3.7L engine & manual transmission. 24 1/4" long from flange to flange.
ZDS9514C	Chrysler/ Dodge	Fits '01-'03 Dodge Dakota front with manual transmission. 24 1/4" long from flange to flange.
ZDS9537	Chrysler/ Dodge	Fits '07-'10 Ram 2500 front with six speed manual transmission. 12 3/4" long from weld to weld.
ZDS9537A	Chrysler/ Dodge	Fits '03-'05 Ram 2500 & 3500 front with 5.7L engine & manual transmission. 12 3/4" long from weld to weld.
ZDS9538	Chrysler/ Dodge	Fits '03-'05 Ram 2500 & 3500 front with diesel engine & manual transmission. 19" long from weld to weld.
ZDS9539	Chrysler/ Dodge	Fits '03-'05 Ram 2500 & 3500 front with diesel engine & six speed manual transmission. 16 1/2" long from weld to weld.
ZDS9540	Chrysler/ Dodge	Fits '03-'05 Ram 2500 & 3500 front with diesel engine & four speed automatic transmission. 14 1/24" long from weld to weld.
ZDS9541	Chrysler/ Dodge	Fits '03-'05 Ram 2500 & 3500 front with diesel engine & five speed manual transmission. 13 1/4" long from weld to weld.
ZDS9700	Chrysler/ Dodge	Fits '94-'96 Dodge Dakota front with NV 231 transfer case & manual transmission. 25" long from center of u/joint caps.
ZDS9700A	Chrysler/ Dodge	Fits '87-'93 Dodge Dakota front with manual transmission. 25" long from center of u/joint caps.
ZDS9701	Chrysler/ Dodge	Fits '94-'96 Dodge Dakota front with NV 231 transfer case & 42RE or 46RE automatic transmission. 27" long from center of u/joint caps.
ZDS9707	Chrysler/ Dodge	Fits '97-'99 Dodge Dakota with automatic transmission. 26 1/8" long from center of u/joint caps.
ZDS9707A	Chrysler/ Dodge	Fits '98-'99 Dodge Durango front with automatic transmission. 26 1/8" long from center of u/joint caps.
ZDS9708	Chrysler/ Dodge	Fits '98-'00 Dodge Durango all wheel drive rear. 45 1/4" long from center of u/joint caps.
ZDS9710	Chrysler/ Dodge	Fits '90-'93 Dodge Ramcharger & Trailduster front with manual transmission. 27 1/2" long from center of u/joint caps.
ZDS9710A	Chrysler/ Dodge	Fits '75-'89 Dodge Ramcharger & Trailduster front with flange at transfer case. 27 1/2" long from center of u/joint caps.
ZDS9710B	Chrysler/ Dodge	Fits '90-'93 Dodge W100 & W150 front with three speed automatic transmission or manual transmission. 27 1/4" long from center of u/joint caps.
ZDS9710C	Chrysler/ Dodge	Fits '76-'89 Dodge W100 & W150 front. 27 1/4" long from center of u/joint caps.
ZDS9710D	Chrysler/ Dodge	Fits '90-'93 Dodge W200 & W250 3500 lb Dana 44 front with three speed automatic transmission or manual transmission. 27 1/4" long from center of u/joint caps.
ZDS9710E	Chrysler/ Dodge	Fits '75-'89 Dodge W200 & W250 3500lb Dana 44 front with flange at transfer case. 27 1/4" long from center of u/joint caps.
ZDS9710F	Chrysler/ Dodge	Fits '82-'89 Dodge W300 & W350 front with 3500lb Dana 44 front. 27 1/4" long from center of u/joint caps.
ZDS9711	Chrysler/ Dodge	Fits '90-'93 Dodge W200, W250, W300 & W350 front with four speed automatic transmission & 4500lb axle. 30 1/4" long from center of u/joint caps.
ZDS9717	Chrysler/ Dodge	Fits '94-'95 Dodge Dakota front with NV 231 transfer case & A500 or A518 four speed automatic transmission. 31 7/16" long from center of u/joint caps.
ZDS9717A	Chrysler/ Dodge	Fits '87-'93 Dodge Dakota front with automatic transmission. 31 7/16" long from center of u/joint caps.
ZDS9791	Chrysler/ Dodge	Fits '08-'10 Dodge Nitro front with 4.7L engine. 20" long from weld to weld.
ZDS9813	Chrysler/ Dodge	Fits '96-'97 Dodge Ramcharger & Trailduster front with 47RE automatic transmission & 241 HD transfer case. 33 1/2" long from center of u/joint caps. 3 1/4" u/joint span. 1 1/16" u/joint caps.

USA Standard Gear® Driveshafts

PART #	FITS	DESCRIPTION
ZDS9813A	Chrysler/ Dodge	Fits '96-'97 Dodge Ram 2500 front with 47RE automatic transmission & 241 HD transfer case. 33 1/2" long from center of u/joint caps.
ZDS9814	Chrysler/ Dodge	Fits '96-'97 Dodge Ramcharger & Trailduster front with 46RH automatic transmission & 241 HD transfer case. 20" long from weld to weld.
ZDS9814A	Chrysler/ Dodge	Fits '94-'98 Ram 1500 front with 46RE automatic transmission. 20" long from weld to weld.
ZDS9814B	Chrysler/ Dodge	Fits '96-'97 Ram 2500 front with 46RH automatic transmission. 20" long from weld to weld.
ZDS9870	Chrysler/ Dodge	Fits '94-'98 Ram 1500 front with 46RH automatic transmission & 231 HD transfer case. 14 1/2" weld to weld.
ZDS9870A	Chrysler/ Dodge	Fits '94-'95 Ram 2500 front with 47RH automatic transmission & 241 LD transfer case. 14 1/2" long weld to weld.
ZDS9871	Chrysler/ Dodge	Fits '94-'98 Ram 1500 front with 47RE automatic transmission & 241 LD transfer case. 15 1/2" long weld to weld.
ZDS9871A	Chrysler/ Dodge	Fits '96-'98 Ram 2500 front with 47RE automatic transmission & 241 LD transfer case. 15 1/2" long weld to weld.
ZDS9872	Chrysler/ Dodge	Fits '94-'95 Ram 2500 front with 46RH automatic transmission. 20" long weld to weld.
ZDS9872A	Chrysler/ Dodge	Fits '94-'95 Dodge Ramcharger & Trailduster front with 46RH automatic transmission. 20" long weld to weld.
ZDS9873	Chrysler/ Dodge	Fits '94-'95 Dodge Ramcharger & Trailduster front with manual transmission. 14 1/2" long weld to weld.
ZDS9873A	Chrysler/ Dodge	Fits '94-'97 Ram 2500 front with manual transmission. 14 1/2" long weld to weld.
ZDS9873B	Chrysler/ Dodge	Fits '96-'97 Ramcharger & Trailduster front with manual transmission. 14 1/2" long weld to weld.
ZDS9874	Chrysler/ Dodge	Fits '94-'95 Ram 2500 front with 47RH automatic transmission & 241 HD transfer case. 15 1/2" long weld to weld.
ZDS9874A	Chrysler/ Dodge	Fits '94-'95 Ramcharger & Trailduster front with 47RH automatic transmission & 241 HD transfer case. 15 1/2" long weld to weld.
ZDS9875	Chrysler/ Dodge	Fits '94-'95 Ramcharger & Trailduster front with automatic transmission. 19" long weld to weld.
ZDS9875A	Chrysler/ Dodge	Fits '90-'93 Dodge W100 & W150 front with four speed automatic transmission. 19" long weld to weld.
ZDS9875B	Chrysler/ Dodge	Fits '90-'93 Dodge W200 & W250 front with four speed automatic transmission. 19" long weld to weld.
ZDS9110	Ford	Fits '99-'02 Ford F250 & F350 rear with 5.4L engine, E4OD automatic transmission & 137" wheelbase. 50 7/8" long from center of u/joint caps.
ZDS9111	Ford	Fits '99-'02 Ford F250 & F350 rear with 6.8L engine, E4OD automatic transmission & 137" wheelbase. 50 7/8" long from center of u/joint caps.
ZDS9112	Ford	Fits '99-'02 Ford F250 rear with 7.3L engine, E4OD automatic transmission & 137" wheelbase. 49 5/8" long from center of u/joint caps.
ZDS9113	Ford	Fits '99-'02 Ford F250 rear with 5.4L engine, E4OD automatic transmission & 141.8" wheelbase. 57 1/4" long from center of u/joint caps.
ZDS9114	Ford	Fits '99-'02 Ford F250 & F350 rear with 6.8L engine, E4OD automatic transmission & 141.8" wheelbase. 57 1/4" long from center of u/joint caps.
ZDS9115	Ford	Fits '99-'02 Ford F250 rear with 7.3L engine, E4OD automatic transmission & 141.8" wheelbase. 57 7/16" long from center of u/joint caps.
ZDS9115A	Ford	Fits '99-'02 Ford F250 rear with 7.3L engine, M5HD manual transmission & 141.8" wheelbase. 57 7/16" long from center of u/joint caps.
ZDS9115B	Ford	Fits '99-'02 Ford F350 rear with 7.3L engine, E4OD automatic transmission & 137" wheelbase. 54 7/16" long from center of u/joint caps.
ZDS9115C	Ford	Fits '99-'02 Ford F350 rear with 7.3L engine, M5HD manual transmission & 137" wheelbase. 54 7/8" long from center of u/joint caps.

USA Standard Gear® Driveshafts

PART #	FITS	DESCRIPTION
ZDS9116	Ford	Fits '99-'02 Ford F250 & F350 rear with 5.4L engine, M5HD manual transmission & 137" wheelbase. 54 5/16" long from center of u/joint caps.
ZDS9117	Ford	Fits '99-'02 Ford F250 rear with 6.8L engine, M5HD manual transmission & 137" wheelbase. 54 5/16" long from center of u/joint caps.
ZDS9117A	Ford	Fits '99-'02 Ford F350 rear with 7.3L engine, E4OD automatic transmission & 141.8" wheelbase. 54 5/16" long from center of u/joint caps.
ZDS9127	Ford	Fits '99-'02 Ford F250 rear with 7.3L engine, M5HD manual transmission & 137" wheelbase. 51 5/8" long from center of u/joint caps.
ZDS9128	Ford	Fits '99-'02 Ford F250 rear with 5.4L engine, M5HD manual transmission & 141.8" wheelbase. 60 9/16" long from center of u/joint caps.
ZDS9129	Ford	Fits '99-'02 Ford F250 rear with 6.8L V10 engine, M5HD manual transmission & 141.8" wheelbase. 60 13/16" long from center of u/joint caps.
ZDS9129A	Ford	Fits '99-'02 Ford F350 rear with 6.8L V10 engine, M5HD manual transmission & 137" wheelbase. 60 13/16" long from center of u/joint caps.
ZDS9130	Ford	Fits '99-'02 Ford F350 rear with 7.3L engine, M5HD manual transmission & 141.8" wheelbase. 50 7/8" long from center of u/joint caps.
ZDS9131	Ford	Fits '99-'02 Ford F350 rear with 7.3L engine, dual rear wheel, E4OD automatic transmission & 137" wheelbase. 50 7/8" long from center of u/joint caps.
ZDS9132	Ford	Fits '99-'02 Ford F350 rear with 6.8L V10 engine, dual rear wheel, M5HD manual transmission & 137" wheelbase. 54 5/16" long from center of u/joint caps.
ZDS9133	Ford	Fits '99-'02 Ford F350 rear with 7.3L engine, dual rear wheel, M5HD manual transmission & 137" wheelbase. 54 5/16" long from center of u/joint caps.
ZDS9134	Ford	Fits '99-'02 Ford F350 rear with 6.8L V10 engine, dual rear wheel, E4OD automatic transmission & 137" wheelbase. 55 3/16" long from center of u/joint caps.
ZDS9135	Ford	Fits '99-'02 Ford F350 rear with 5.4L engine, E4OD automatic transmission & 141.8" wheelbase. 58 1/4" long from center of u/joint caps.
ZDS9136	Ford	Fits '99-'02 Ford F350 rear with 5.4L engine, M5HD manual transmission & 141.8" wheelbase. 60 13/16" long from center of u/joint caps.
ZDS9137	Ford	Fits '99-'02 Ford F350 rear with 6.8L engine, M5HD manual transmission & 141.8" wheelbase. 48 13/16" long from center of u/joint caps.
ZDS9148	Ford	Fits 1979 Ford F250 front with manual transmission, part-time NP 205 transfer case & 133" wheel base. 25 1/8" long from center of u/joint caps.
ZDS9148A	Ford	Fits 1977 Ford F250 front with automatic transmission, part-time NP 205 transfer case & 133" wheel base. 25 1/8" long from center of u/joint caps.
ZDS9150	Ford	Fits '99-'01 Dodge Dakota regular cab front with 3.9L & 5.2L engine and automatic transmission. 24 1/4" long from center of u/joint caps.
ZDS9150A	Ford	Fits '00 Durango regular cab front with 3.9L & 5.2L engine and automatic transmission. 24 1/4" long from center of u/joint caps.
ZDS9151	Ford	Fits '01-'05 Dakota & '01-'03 Durango front with 3.7L & 4.7L engine and automatic transmission. 26 1/4" long from flange to flange.
ZDS9152	Ford	Fits '66-'70 Ford Bronco front. 23 5/16" long from center of u/joint caps.
ZDS9153	Ford	Fits '66-'77 Ford Bronco rear. 31 1/4" long from center of u/joint caps.
ZDS9154	Ford	Fits '74-'77 Ford F250 front with 351 & 400 engine, 133" wheelbase. 57 7/16" long from center of u/joint caps.
ZDS9155	Ford	Fits '74-'77 Ford F250 rear with 351 & 400 engine, 133" wheelbase. 57 7/16" long from center of u/joint caps.
ZDS9155A	Ford	Fits '74-'77 Ford F250 rear with 351 & 400 engine, 133" wheelbase. 57 7/16" long from center of u/joint caps.
ZDS9157	Ford	Fits 1978 Ford Bronco front with 351 engine, automatic transmission and full-time 203 transfer case. 30 1/16" long from center of u/joint caps. 1310 u/joint sizes.
ZDS9157A	Ford	Fits 1978 Ford F100 & F150 front with full-time 203 transfer case & 113" & 166.8" wheelbase. 30 1/16" long from center of u/joint caps. 1310 u/joint sizes.
ZDS9158	Ford	Fits 1979 Ford F100 & F150 rear with manual transmission, part-time transfer case & 117" wheel base. 51" long from center of u/joint caps. 1330 u/joint sizes.
ZDS9159	Ford	Fits 1978 F100 & F150 rear with part-time transfer case & 117" wheelbase. 50 15/16" long from center of u/joint caps. 1310 & 1330 u/joint sizes.
ZDS9159A	Ford	Fits 1977 F100 & F150 rear with 351 & 400 engines, C6 transmission, part-time transfer case & 117" wheelbase. 50 15/16" long from center of u/joint caps. 1310 & 1330 u/joint sizes.

USA Standard Gear® Driveshafts

PART #	FITS	DESCRIPTION
ZDS9160	Ford	Fits '80-'82 Ford Bronco front. 30 5/8" long from center of u/joint caps.
ZDS9160A	Ford	Fits '80-'82 Ford Bronco rear. 30 5/8" long from center of u/joint caps.
ZDS9161	Ford	Fits 1979 Ford F250 & F350 front with 300 engine, manual transmission and part-time transfer case. 133" & 155" wheelbase. 24 3/8" long from center of u/joint caps.
ZDS9161A	Ford	Fits 1979 Ford Bronco front with 351 engine, manual transmission and part-time transfer case. 24 3/8" long from center of u/joint caps.
ZDS9162	Ford	Fits 1979 Ford Bronco front with 351 engine, manual transmission and part-time transfer case. 37 5/16" long from center of u/joint caps.
ZDS9163	Ford	Fits 1979 Ford F250 & F350 front with 351 & 400 engine, automatic transmission, part-time transfer case & 133" wheelbase. 28" long from center of u/joint caps.
ZDS9164	Ford	Fits 1979 Ford Bronco rear with 351 engine, automatic transmission & part-time transfer case. 34 5/16" long from center of u/joint caps.
ZDS9165	Ford	Fits 1978 Ford Bronco rear with 351 & 400 engine, manual transmission & part-time 205 transfer case. 37 5/16" long from center of u/joint caps.
ZDS9166	Ford	Fits 1979 Ford F250 & F350 front with 351 & 400 engine, automatic transmission, full-time transfer case & 133" & 155" wheelbase. 30 1/16" long from center of u/joint caps.
ZDS9166A	Ford	Fits 1979 Ford Bronco front with 351 engine, automatic transmission & full-time transfer case. 30 1/16" long from center of u/joint caps.
ZDS9166B	Ford	Fits 1979 Ford F100 & F150 front with automatic transmission & 117" & 133" wheelbase. 30 1/16" long from center of u/joint caps.
ZDS9167	Ford	Fits 1978 Ford Bronco front with 351 & 400 engine, manual transmission & part-time 205 transfer case. 24 3/8" long from center of u/joint caps.
ZDS9169	Ford	Fits 1978 Ford Bronco front with 351 engine, automatic transmission and full time 205 transfer case. 27 5/16" long from center of u/joint caps.
ZDS9170	Ford	Fits 1978 Ford Bronco rear with 351 engine, automatic transmission and part time 205 transfer case. 34 3/8" long from center of u/joint caps.
ZDS9172	Ford	Fits 1978 Ford Bronco rear with 351 engine, automatic transmission and full time 203 transfer case. 20 3/8" long from center of u/joint caps.
ZDS9173	Ford	Fits 1978 Ford Bronco front with 400 engine, automatic transmission & part-time 205 transfer case. 20 3/8" long from center of u/joint caps.
ZDS9174	Ford	Fits 1978 Ford Bronco rear with 400 engine, automatic transmission & part-time 205 transfer case. 20 3/8" long from center of u/joint caps.
ZDS9175	Ford	Fits 1978 Ford Bronco front with 400 engine, automatic transmission & full-time 203 transfer case. 20 3/8" long from center of u/joint caps.
ZDS9175A	Ford	Fits 1978 Ford F100 & F150 front with automatic transmission, full-time 203 transfer case & 113" & 166.8" wheelbase. 30 1/16" long from center of u/joint caps.
ZDS9176	Ford	Fits 1978 Ford Bronco rear with 400 engine, automatic transmission & full-time 203 transfer case. 30 1/16" long from center of u/joint caps.
ZDS9177	Ford	Fits 1979 F250 & F350 front with 351 & 400 engine, automatic transmission & full-time transfer case. 30 7/8" long from center of u/joint caps.
ZDS9177A	Ford	Fits 1979 Ford F100 & F150 front with 351 engine, automatic transmission, full-time transfer case & 155" wheelbase. 30 7/8" long from center of u/joint caps.
ZDS9178	Ford	Fits 1979 Ford F100 & F150 front with 400 engine, manual transmission, part-time transfer case & 155" wheelbase. 25 5/16" long from center of u/joint caps.
ZDS9180	Ford	Fits 1977 Ford F100 & F150 rear with 351 & 400 engine, C6 automatic transmission, part-time transfer case & 116" wheelbase. 50 16/16" long from center of u/joint caps. 1310 u/joints.
ZDS9180A	Ford	Fits 1976 Ford F100 & F150 with manual transmission & 117" wheelbase. 50 16/16" long from center of u/joint caps. 1310 u/joints.
ZDS9182	Ford	Fits 1977 Ford F250 front with 351 & 400 engine with C6 automatic transmission, part-time 205 transfer case & 117" wheelbase. 28" long from center of u/joint caps.
ZDS9183	Ford	Fits '77-'78 Ford F250 front with automatic transmission, full-time 203 transfer case & 133" wheelbase. 30 1/16" long from center of u/joint caps.
ZDS9184	Ford	Fits 1978 Ford F250 front with manual transmission, part-time 205 transfer case, 133" wheelbase & snow plow option. 23 3/4" long from center of u/joint caps.

USA Standard Gear® Driveshafts

PART #	FITS	DESCRIPTION
ZDS9185	Ford	Fits 1978 Ford F250 front with automatic transmission, part-time 205 transfer case & 133" wheelbase. 26 1/16" long from center of u/joint caps.
ZDS9186	Ford	Fits 1978 Ford F250 front with automatic transmission, full-time 203 transfer case & 133" wheelbase. 29 1/2" long from center of u/joint caps.
ZDS9187	Ford	Fits 1979 Ford F250 & F350 front with 351 & 400 engine, automatic transmission, part-time transfer case, 133" & 155" wheelbase & snow plow option. 26 11/16" long from center of u/joint caps.
ZDS9190	Ford	Fits 1979 Ford Bronco front with 351 engine, automatic transmission & part-time transfer case. 27 5/16" long from center of u/joint caps. 1330 u/joints.
ZDS9192	Ford	Fits 1980 Ford Bronco with 300, 302 & 351 engine, C6 or 435 transmission. 32 3/4" long from center of u/joint caps
ZDS9192A	Ford	Fits 1982 Ford F100 & F150 front with 300, 302, 351 & 400 engine, C6 or 435 transmission, 116", 133" or 155" wheelbase. 32 3/4" long from center of u/joint caps.
ZDS9193	Ford	Fits '80-'81 Ford Bronco front with 300, 302 & 351 engine, C6 & 435 transmission. 32 3/4" long from center of u/joint caps.
ZDS9193A	Ford	Fits '80-'81 Ford F100 & F150 with 300, 302, 351 & 400 engine, C6 or 435 transmission & 116", 133" & 155" wheelbase. 32 1/2" long from center of u/joint caps.
ZDS9293	Ford	Fits '99-'01 Ford Explorer & Mountaineer front with 4.0L engine. 24" long weld to weld.
ZDS9293A	Ford	Fits '98-'09 Ford Ranger extended cab front with 4.0L engine. 24" long weld to weld.
ZDS9293B	Ford	Fits '99-'06 Ford Ranger front with 4.0L engine. 24" long weld to weld.
ZDS9294	Ford	Fits '99-'01 Ford Explorer & Mountaineer front with 5.0L engine, all wheel drive. 23" long weld to weld.
ZDS9297	Ford	Fits '99-'01 Ford Expedition front with 4.6L engine. 25" long weld to weld.
ZDS9298	Ford	Fits 2001 Ford Excursion front with 6.8L engine. 39 1/2" long from center of u/joint caps.
ZDS9299	Ford	Fits 2001 Ford Excursion front with 7.3L engine. 39 3/4" long flange to flange.
ZDS9299A	Ford	Fits '00-'01 Ford Expedition front with 7.3L engine. 39 3/4" long flange ton flange.
ZDS9300	Ford	Fits '99-'06 Ford F250 front with 6.4L or 6.8L engine. 36" long from center of u/joint caps.
ZDS9300A	Ford	Fits '99-'01 Ford F250 front with 5.4L or 6.8L & automatic transmission. 36" long from center of u/joint caps.
ZDS9300B	Ford	Fits '05-'06 Ford F350 front with 5.4L or 6.8L, automatic transmission, single rear wheel. 36" long from center of u/joint caps.
ZDS9300C	Ford	Fits '00-'01 Ford Excursion with 5.4L or 6.8L engine. 36" long from center of u/joint caps.
ZDS9302	Ford	Fits '05-'10 Ford F250 front with diesel engine & automatic transmission. 38 1/2" long from center of u/joint caps.
ZDS9302A	Ford	Fits '03-'10 Ford F250 front with 6.0L engine, automatic transmission & single rear wheel. 38 1/2" long from center of u/joint caps.
ZDS9302B	Ford	Fits '04-'10 Ford F250 front with diesel engine, automatic transmission & single rear wheel. 38 1/2" long from center of u/joint caps.
ZDS9302C	Ford	Fits '04-'06 Ford F250 front with 6.0L engine, automatic transmission & single rear wheels. 38 1/2" long from center of u/joint caps.
ZDS9302D	Ford	Fits '99-'01 Ford F250 front with 7.3L engine. 38 1/2" long from center of u/joint caps.
ZDS9302E	Ford	Fits '04-'10 Ford F350 front with diesel engine, automatic transmission & single rear wheels. 38 1/2" long from center of u/joint caps.
ZDS9302F	Ford	Fits 2003 Ford F350 front with 6.0L engine, automatic transmission & single rear wheels. 38 1/2" long from center of u/joint caps.
ZDS9302G	Ford	Fits '00-'05 Ford Excursion front with 5.4L or 6.8L engine. 38 1/2" long from center of u/joint caps.
ZDS9302H	Ford	Fits 2001 Ford Excursion front with 5.4L engine. 38 1/2" long from center of u/joint caps.
ZDS9302I	Ford	Fits 200 Ford Excursion front with 7.3L engine. 38 1/2" long from center of u/joint caps.
ZDS9303	Ford	Fits '00-'03 Ford Excursion front with 7.3L engine. 39 1/2" long from center of u/joint caps.
ZDS9303A	Ford	Fits '03-'10 Ford F250 front. 39 1/2" long from center of u/joint caps.
ZDS9303AA	Ford	Fits 2003 Ford F350 front with 6.0L engine, six speed manual transmission & dual rear wheels. 39 1/2" long from center of u/joint caps.
ZDS9303B	Ford	Fits '99-'06 Ford F250 front with 6.0L engine, manual transmission & single rear wheels. 39 1/2" long from center of u/joint caps.
	Ford	Fits 2003 Ford F350 front with 5.4L, six speed manual transmission & single rear wheels. 39 1/2" long from center of u/joint caps.
ZDS9303C	Ford	Fits '99-'06 Ford F250 front with 7.3L engine. 39 1/2" long from center of u/joint caps.
ZDS9303CC	Ford	Fits '99-'03 Ford F350 front with 6.8L engine, automatic transmission & single rear wheels.
ZDS9303D	Ford	Fits 2004 Ford F250 front with automatic transmission & single rear wheels. 39 1/2" long from center of u/joint caps.

USA Standard Gear® Driveshafts

PART #	FITS	DESCRIPTION
	Ford	Fits '99-'03 Ford F350 front with 5.4L engine, automatic transmission & single rear wheels. 39 1/2" long from center of u/joint caps.
ZDS9303E	Ford	Fits 2004 Ford F250 with gas engine, six speed manual transmission & single rear wheels. 39 1/2" long from center of u/joint caps.
ZDS9303EE	Ford	Fits 2002 Ford F350 front with 5.4L engine, six speed manual transmission & single rear wheels. 39 1/2" long from center of u/joint caps.
ZDS9303F	Ford	Fits 2003 Ford F250 front with 6.8L engine, six speed manual transmission & single rear wheels. 39 1/2" long from center of u/joint caps.
ZDS9303FF	Ford	Fits 2002 Ford F350 front with 6.8L engine, six speed manual transmission & single rear wheels. 39 1/2" long from center of u/joint caps.
ZDS9303G	Ford	Fits 2003 Ford F250 front with manual transmission & single rear wheels. 39 1/2" long from center of u/joint caps.
ZDS-9303GG	Ford	Fits '00-'03 Ford F450 front with 7.3L diesel. 39 1/2" long from center of u/joint caps.
ZDS9303H	Ford	Fits 2003 Ford F250 front with 5.4L engine, six speed manual transmission & single rear wheels. 39 1/2" long from center of u/joint caps.
ZD-S9303HH	Ford	Fits 2000 Ford F550 front with 6.8L engine & automatic transmission. 39 1/2" long from center of u/joint caps.
ZDS9303I	Ford	Fits '99-'00 Ford F450 front with 6.8L diesel, automatic transmission & dual rear wheels. 39 1/2" long from center of u/joint caps.
ZDS9303J	Ford	Fits 2003 Ford F250 front with 6.0L engine, manual transmission & single rear wheels. 39 1/2" long from center of u/joint caps.
ZDS9303K	Ford	Fits 2002 Ford F250 front with 6.8L engine, six speed manual transmission & single rear wheels. 39 1/2" long from center of u/joint caps.
ZDS9303L	Ford	Fits 2002 Ford F250 front with 5.4L engine, six speed manual transmission & single rear wheels. 39 1/2" long from center of u/joint caps.
ZDS9303M	Ford	Fits '00-'03 Ford F250 front with 5.4L or 6.8L engine and 4R100 automatic transmission. 39 1/2" long from center of u/joint caps.
ZDS9303N	Ford	Fits '99-'03 Ford F250 front with 5.4L engine, automatic transmission & single rear wheels. 39 1/2" long from center of u/joint caps.
ZDS9303O	Ford	Fits '99-'03 Ford F250 front with 6.8L engine, automatic transmission & single rear wheels. 39 1/2" long from center of u/joint caps.
ZDS9303P	Ford	Fits '99-'03 Ford F250 front with 6.8L engine, automatic transmission & dual rear wheels. 39 1/2" long from center of u/joint caps.
ZDS9303Q	Ford	Fits '99-'03 Ford F350 front with automatic transmission & dual rear wheels. 39 1/2" long from center of u/joint caps.
ZDS9303R	Ford	Fits '99-'03 Ford F350 front with 5.4L engine automatic transmission & dual rear wheels. 39 1/2" long from center of u/joint caps.
ZDS9303S	Ford	Fits '04-'06 Ford F350 front with 6.0L engine & manual transmission. 39 1/2" long from center of u/joint caps.
ZDS9303T	Ford	Fits 2005 Ford F350 front with diesel engine & manual transmission. 39 1/2" long from center of u/joint caps.
ZDS9303U	Ford	Fits 2004 Ford F350 front with 7.3L engine. 39 1/2" long from center of u/joint caps.
ZDS9303V	Ford	Fits 2004 Ford F350 front with gas engine, automatic transmission & dual rear wheels. 39 1/2" long from center of u/joint caps.
ZDS9303W	Ford	Fits 2004 Ford F350 front with 6.8L engine, manual transmission & dual rear wheels. 39 1/2" long from center of u/joint caps.
ZDS9303X	Ford	Fits 2004 Ford F350 front with gas engine, manual transmission & single rear wheels. 39 1/2" long from center of u/joint caps.
ZDS9303Y	Ford	Fits 2004 Ford F350 front with diesel engine, manual transmission & single rear wheels. 39 1/2" long from center of u/joint caps.
ZDS9303Z	Ford	Fits '00-'03 Ford F350 front with 5.4L or 6.8L engine, 4R100 automatic transmission & single rear wheels. 39 1/2" long from center of u/joint caps.
ZDS9304	Ford	Fits '00-'03 Ford F350 front with over 8500 GVW. 40 1/2" long from center of u/joint caps.
ZDS9304A	Ford	Fits '00-'03 Ford Excursion front. 40 1/2" long from center of u/joint caps.
ZDS9305	Ford	Fits '99-'01 Ford F250 front with 5.4L or 6.8L & manual transmission. 37 3/4" long from center of u/joint caps.
ZDS9317	Ford	Fits '99-'01 Ford Expedition front with 5.4L engine. 25" long weld to weld.
ZDS9325	Ford	Fits '00-'02 Ford Excursion front with 5.4L or 6.8L engine with 4R100 automatic transmission. 37 1/4" long from center of u/joint caps.
ZDS9400	Ford	Fits '87-'89 Ford Bronco rear with 4.9L or 5.0L engine, five speed manual transmission & 3.08, 3.55 or 4.10 gear ratio. 26 1/2" long from center of u/joint caps.

USA Standard Gear® Driveshafts

PART #	FITS	DESCRIPTION
ZDS9416	Ford	Fits '87-'89 Ford Bronco rear with 5.0L engine & automatic overdrive transmission. 28 5/8" long from center of u/joint caps.
ZDS9423	Ford	Fits 1988 Ford Ranger rear with four speed automatic transmission or five speed manual transmission, 2.3L or 2.9L engine & STX package. 39 13/16" long from center of u/joint caps.
ZDS9423A	Ford	Fits 1987 Ford Ranger rear with four speed automatic transmission, 2.9L engine & STX package. 39 13/16" long from center of u/joint caps.
ZDS9423B	Ford	Fits 1985 Ford Ranger rear with four speed automatic transmission & 2.3L or 2.8L engine. 39 13/16" long from center of u/joint caps.
ZDS9430	Ford	Fits 1985 Ford Bronco rear with C6 automatic transmission or four speed manual transmission & 5.0L or 5.8L engine & 3.50 gear ratio.
ZDS9430A	Ford	Fits '85-'86 Ford Bronco rear with four speed manual transmission, 4.9L engine & 3.00 or 3.50 gear ratio. Also fits '85-'86 Ford Bronco rear with 5.0L engine or 5.8L engine & 3.50 gear ratio. 31 15/16" long from center of u/joint caps.
ZDS9431	Ford	Fits 1988 Ford Bronco rear with C6 automatic transmission & 4.9L or 5.8L engine with 3.08 or 3.55 gear ratio. 29 5/8" long from center of u/joint caps.
ZDS9431A	Ford	Fits '88-'89 Ford Bronco rear with automatic overdrive transmission & 4.9L or 5.0L engine. 29 5/8" long from center of u/joint caps.
ZDS9431B	Ford	Fits 1987 Ford Bronco rear with C6 automatic transmission, 4.9L or 5.8L engine & 3.08 or 3.55 gear ratio. 29 5/8" long from center of u/joint caps.
ZDS9431C	Ford	Fits 1987 Ford Bronco rear with automatic overdrive transmission & 4.9L or 5.8L engine. 29 5/8" long from center of u/joint caps.
ZDS9431D	Ford	Fits '85-'86 Ford Bronco rear with automatic overdrive transmission, 5.0L engine & 3.55 gear ratio. 29 5/8" long from center of u/joint caps.
ZDS9433	Ford	Fits 1986 Ford Ranger four wheel drive rear with four speed automatic transmission & 2.9L engine. 40 1/4" long from center of u/joint caps.
ZDS9440	Ford	Fits '83-'87 Ford F250 front with 133" or 155" wheelbase. 35 1/2" long from center of u/joint caps.
ZDS9440A	Ford	Fits '82-'84 Ford F350 front. 35 1/2" long from center of u/joint caps.
ZDS9440B	Ford	Fits '84-'87 Ford Bronco front with 105" wheelbase. 35 1/2" long from center of u/joint caps.
ZDS9440C	Ford	Fits 1983 Ford Bronco front. 35 1/2" long from center of u/joint caps.
ZDS9440D	Ford	Fits '83-'87 Ford F150 front with 117", 133" & 155" wheelbase. 35 1/2" long from center of u/joint caps.
ZDS9441	Ford	Fits '85-'93 Ford F250 front with automatic overdrive transmission & 133" or 155" wheelbase. 33 1/4" long from center of u/joint caps.
ZDS9441A	Ford	Fits '88-'93 Ford Bronco front with automatic overdrive transmission. 33 1/4" long from center of u/joint caps.
ZDS9441B	Ford	Fits '85-'93 Ford F150 front with automatic overdrive transmission & 117", 133", 139" or 155" wheelbase. 33 1/4" long from center of u/joint caps.
ZDS9442	Ford	Fits '88-'90 Ford Bronco front with 4.9L engine & E40D or C6 automatic transmission. 39 1/2" long from center of u/joint caps.
ZDS9442A	Ford	Fits '88-'96 Ford F250 front with C6 automatic transmission & 133" or 155" wheelbase. 39 1/2" long from center of u/joint caps.
ZDS9442B	Ford	Fits 1990 Ford Bronco front with 5.8L engine & E40D automatic transmission. 39 1/2" long from center of u/joint caps.
ZDS9442C	Ford	Fits '88-'96 Ford F250 front with 7.3L or 7.5L engine, manual transmission & 133" or 155" wheelbase. 39 1/2" long from center of u/joint caps.
ZDS9442D	Ford	Fits '88-'89 Ford Bronco front with C6 automatic transmission. 39 1/2" long from center of u/joint caps.
ZDS9442E	Ford	Fits '88-'90 Ford Bronco front with four speed manual transmission & 105" wheelbase. 39 1/2" long from center of u/joint caps.
ZDS9442F	Ford	Fits '88-'96 Ford F150 front with six cylinder engine, E40D, C6 or four speed manual transmission & 117", 133", 139" or 155" wheelbase. 39 1/2" long from center of u/joint caps.
ZDS9443	Ford	Fits '88-'96 Ford F250 front with 5.8L engine & 133" or 155" wheelbase. 37 1/2" long from center of u/joint caps.
ZDS9443A	Ford	Fits '91-'96 Ford Bronco front with five speed manual transmission. 37 1/2" long from center of u/joint caps.
ZDS9443B	Ford	Fits '88-'90 Ford Bronco front with five speed manual transmission & 105" wheelbase. 37 1/2" long from center of u/joint caps.
ZDS9443C	Ford	Fits '88-'96 Ford F150 front with five speed manual transmission & 117", 139" or 155" wheelbase. 37 1/2" long from center of u/joint caps.
ZDS9444	Ford	Fits '88-'96 Ford F250 front with E40D automatic transmission & 133" or 155" wheelbase. 39 1/2" long from center of u/joint caps.
ZDS9444A	Ford	Fits '91-'96 Ford Bronco front with E40D automatic transmission. 39 1/2" long from center of u/joint caps.
ZDS9444B	Ford	Fits 1990 Ford Bronco front with 5.0L engine & E40D automatic transmission. 39 1/2" long from center of u/joint caps.
ZDS9444C	Ford	Fits '90-'96 Ford F150 front with E40D automatic transmission & 117", 133", 139" or 155" wheelbase. 39 1/2" long from center of u/joint caps.

USA Standard Gear® Driveshafts

PART #	FITS	DESCRIPTION
ZDS9445	Ford	Fits '94-'96 Ford F150 front with 4R70W automatic transmission & 117", 133", 139" or 155" wheelbase. 35" long from center of u/joint caps.
ZDS9446	Ford	Fits '95-'96 Ford F350 front with C6 automatic transmission & 133", 137" & 168" wheelbase. 36 1/4" long from center of u/joint caps.
ZDS9447	Ford	Fits '95-'96 Ford F350 front with manual transmission & 133", 137" & 168" wheelbase. 38 1/4" long from center of u/joint caps.
ZDS9450	Ford	Fits 1998 Ford Explorer & Mountaineer front with 5.0L engine. 23" long weld to weld.
ZDS9451	Ford	Fits '01-'05 Ford Explorer Sport Trac four door front. 24" long weld to weld.
ZDS9451A	Ford	Fits '01-'03 Ford Explorer Sport Trac two door front with 4.0L engine. 24" long weld to weld.
ZDS9451B	Ford	Fits '97-'99 Ford Explorer sport four door front with 4.0L engine. 24" long weld to weld.
ZDS9453	Ford	Fits '97-'98 Ford F150 rear with 4.2" & 4.6L engine, M50D or 4R70W automatic transmission & 120" wheelbase. 41 1/2" long from center of u/joint caps.
ZDS9455	Ford	Fits 1998 Ford Ranger & Mazda Pickup front with 2.3L, 3.0L or 4.0L engine. 24 1/4" long weld to weld.
ZDS9462	Ford	Fits '05-'10 Ford explorer front. 22 1/4" long weld to weld.
ZDS9462A	Ford	Fits '02-'05 Ford Explorer four door front with 4.0L engine. 22 1/4" long from weld to weld.
ZDS9462B	Ford	Fits '02-'03 Ford Explorer front with 4.0L engine. 22 1/4" long from weld to weld.
ZDS9463	Ford	Fits '01-'05 Ford Escape all wheel drive rear. Rear section of two-piece driveshaft. 22 1/4" long weld to weld.
ZDS9542	Ford	Fits '03-'05 Expedition front. 20" long from weld to weld.
ZDS9543	Ford	Fits '97-'02 Ford Expedition front with 5.4L engine. 38 5/8" long from flange to flange.
ZDS9544	Ford	Fits '97-'99 Ford F250 front with 5.4L engine & 139" wheelbase. Under 8500lb GVW. 21" long from weld to weld.
ZDS9544A	Ford	Fits 1997 Ford F250 front with 5.4L engine & 155" wheelbase. 21" long from weld to weld.
ZDS9544B	Ford	Fits 2004-6/2005 Ford F150 front. 21" long from weld to weld.
ZDS9544C	Ford	Fits '04-'05 Ford F150 front with 5.4L engine & 4R100 automatic transmission. 21" long from weld to weld.
ZDS9544D	Ford	Fits '98-'03 Ford F150 front with 5.4L engine, 4R100 automatic transmission & 120", 139" or 157" wheelbase. 21" long from weld to weld.
ZDS9544E	Ford	Fits 1997 Ford F150 front with 5.4L engine & 120", 139" or 157" wheelbase. 21" long from weld to weld.
ZDS9545	Ford	Fits '98-'03 Ford F250 front with 5.4L engine, 4R70W automatic transmission & 120" or 157" wheelbase. 22" long from weld to weld.
ZDS9545A	Ford	Fits '97-'99 Ford F250 front with 4.6L engine, 139" wheelbase & under 8500lb GVW. 22" long from weld to weld.
ZDS9545B	Ford	Fits '97-'04 Ford F150 front with 4.2L or 4.6L engine. 22" long from weld to weld.
ZDS9545C	Ford	Fits '98-'03 Ford F150 front with 5.4L engine & 4R70W automatic transmission. 22" long from weld to weld.
ZDS9546	Ford	Fits '04-'06 Ford F350 front with automatic transmission. 37 3/4" long from center of u/joint caps.
ZDS9546A	Ford	Fits '03-'05 Ford Excursion front with 6.0L diesel engine. 37 3/4" long from center of u/joint caps.
ZDS9622	Ford	Fits 1996 1/2 Ford Explorer front with round flange at transfer case. 27 11/16" long from center of u/joint caps.
ZDS9623	Ford	Fits '95-'96 Ford Explorer four door front. 28 1/4" long from center of u/joint caps.
ZDS9624	Ford	Fits '94-'95 Ford Explorer two door rear. 32 15/16" long from center of u/joint caps.
ZDS9636	Ford	Fits 1988 Ford Ranger rear with five speed manual transmission, 2.3L diesel or 2.9L gas engine with STX trim package & short wheelbase. 42 1/4" long from center of u/joint caps.
ZDS9638	Ford	Fits 1989 Ford Ranger front. 26 1/2" long from center of u/joint caps.
ZDS9638A	Ford	Fits 1988 Ford Ranger front with four speed automatic transmission or five speed manual transmission & STX trim package. 26 1/2" long from center of u/joint caps.
ZDS9641	Ford	Fits 1987 Ford Ranger front with four speed automatic transmission, 2.9L engine & STX trim package. 26 1/2" long from center of u/joint caps.
ZDS9641A	Ford	Fits 1987 Ford Ranger front with five speed manual transmission & 2.9L engine. 26 1/2" long from center of u/joint caps.
ZDS9642	Ford	Fits 1989 Ford Ranger rear with four speed automatic transmission or five speed manual transmission, 2.9L engine, STX trim package & short wheelbase. 40 1/2" long from center of u/joint caps.
ZDS9660	Ford	Fits '90-'96 Ford Bronco rear with E40D automatic transmission, 4.9L, 5.0L or 5.8L engine & 3.08 or 3.55 gear ratio. 23 3/8" long from center of u/joint caps.
ZDS9661	Ford	Fits '91-'94 Ford Explorer front with 4.0L engine & four speed automatic or five speed manual transmission. 29 7/16" long from center of u/joint caps.
ZDS9661A	Ford	Fits '95-'97 Ford Ranger front with 4.0L engine. 29 7/16" long from center of u/joint caps.

USA Standard Gear® Driveshafts

PART #	FITS	DESCRIPTION
ZDS9661B	Ford	Fits '93-'94 Ford Ranger front with 4.0L engine & four speed automatic or five speed manual transmission. 29 7/16" long from center of u/joint caps.
ZDS9661C	Ford	Fits '90-'92 Ford Ranger front. 29 7/16" long from center of u/joint caps.
ZDS9662	Ford	Fits '90-'94 Ford Ranger rear with four speed automatic transmission or five speed manual transmission, 2.3L, 2.9L, 3.0L or 4.0L engine & short wheelbase. 40 9/16" long from center of u/joint caps.
ZDS9663	Ford	Fits '90-'96 Ford Bronco rear with five speed manual transmission, 4.9L or 5.0L engine & 3.08, 3.55 or 4.10 gear ratio. 27 5/8" long from center of u/joint caps.
ZDS9664	Ford	Fits '90-'96 Ford Bronco rear with 5.0L engine, automatic transmission & 3.55 or 4.10 gear ratio. 27 5/8" long from center of u/joint caps.
ZDS9665	Ford	Fits '90-'96 Ford Bronco rear with C6 automatic transmission or Borg Warner T-18 four speed manual transmission, 4.9L or 5.0L engine & 3.08 or 3.55 gear ratio. 29 5/16" long from center of u/joint caps.
ZDS9721	Ford	Fits '89-'94 Ford F350 front with 5.8L or 7.5L engine and C6 automatic transmission. 32 3/4" long from center of u/joint caps.
ZDS9721A	Ford	Fits '89-'94 Ford F350 front with 7.3L diesel or 7.5L gas engine & ZF manual transmission. 32 3/4" long from center of u/joint caps.
ZDS9721B	Ford	Fits '85-'88 Ford F350 front. 32 3/4" long from center of u/joint caps.
ZDS9731	Ford	Fits '83-'85 Ford Bronco II rear with three speed automatic transmission. 30 3/16" long from center of u/joint caps.
ZDS9821	Ford	Fits '88-'90 Ford Bronco II four wheel drive rear with four speed manual transmission. 32 11/16" long from flange to flange.
ZDS9821A	Ford	Fits '88-'90 Ford Bronco II two wheel drive rear with manual transmission. 32 11/16" long from flange to flange.
ZDS9821B	Ford	Fits '86-'87 Ford Bronco II two wheel drive & four wheel drive rear with manual transmission. 32 11/16" long from flange to flange.
ZDS9821C	Ford	Fits '84-'85 Ford Bronco II four wheel drive rear with manual transmission. 32 11/16" long from flange to flange.
ZDS9822	Ford	Fits '88-'90 Ford Bronco four wheel drive rear with automatic transmission. 30 1/4" long from flange to flange.
ZDS9822A	Ford	Fits '88-'90 Ford Bronco four wheel drive rear with five speed manual transmission. 30 1/4" long from flange to flange.
ZDS9822B	Ford	Fits '88-'89 Ford Bronco II two wheel drive rear with automatic transmission. 30 1/4" long from flange to flange.
ZDS9822C	Ford	Fits '86-'87 Ford Bronco II two wheel drive & four wheel drive rear with automatic transmission. 30 1/4" long from flange to flange.
ZDS9822D	Ford	Fits '84-'85 Ford Bronco II four wheel drive rear with automatic transmission. 30 1/4" long from flange to flange.
ZDS9823	Ford	Fits 6/'89-'90 Ford Bronco II two wheel drive rear with automatic transmission. 36 1/4" long from flange to flange.
ZDS9824	Ford	Fits 6/'89-'90 Ford Bronco II two wheel drive rear with manual transmission. 39 11/16" long from flange to flange.
ZDS9825	Ford	Fits '86-'90 Ford Bronco II two wheel drive & four wheel drive rear with manual transmission. 36 5/8" long from flange to flange.
ZDS9826	Ford	Fits '85-'87 Ford Bronco II four wheel drive rear with automatic transmission. 39 3/4" long from flange to flange.
ZDS9830	Ford	Fits '83-'85 Ford Bronco II rear with 2.8L engine with C5 automatic transmission or 2.8L with four speed manual transmission, short wheelbase. 44 1/4" long from center of u/joint caps.
ZDS9831	Ford	Fits '83-'85 Ford Ranger rear with 2.3L, 2.8L gas or 2.8L diesel engine, five speed manual transmission & short wheelbase. 42 5/16" long from center of u/joint caps.
ZDS9832	Ford	Fits '83-'84 Ford Bronco II rear. 30 1/16" long from center of u/joint caps.
ZDS9833	Ford	Fits '83-'84 Ford Bronco II rear with manual transmission & flange at both ends. 30 1/16" long from center of u/joint caps.
ZDS9834	Ford	Fits '83-'85 Ford Bronco II rear with manual transmission & flange on one end. 28 5/16" long from center of u/joint caps.
ZDS9146	GM	Fits '99-'05 Astro & Safari van front, 26" long weld-to-weld.
ZDS9492	Hummer	Fits '06-'10 Hummer H3 front. 23 5/8" long from weld to weld.
ZDS9285	Isuzu	Fits '91-'92 Isuzu Rodeo front with manual transmission. 23" long weld to weld.
ZDS9285A	Isuzu	Fits '98-'02 Isuzu Trooper front without torque-on-demand. 23" long weld to weld.
ZDS9285B	Isuzu	Fits '90-'97 Isuzu Trooper front with 2.8L V6 & manual transmission. 23" long weld to weld.
ZDS9359A	Isuzu	Fits '98-'00 Isuzu Hombre front. 29 1/2" long from flange to flange.
ZDS9778	Isuzu	Fits '98-'99 Isuzu Amigo & Rodeo front with four cylinder engine, manual transmission & short wheelbase. 13 7/8" long from center of u/joint caps.
ZDS9140	Jeep	Fits '99-'00 Jeep Cherokee Dana 44 front with 4.0L engine, Aisen Warner 4 speed automatic transmission & Kanda transfer case. 28 5/8" long from center of u/joint caps.
ZDS9141	Jeep	Fits '99-'00 Jeep Cherokee Dana 30 front with 2.1L & 2.5L engine, Aisen Warner 5 speed manual transmission & NP 231 transfer case. 25 5/16" long from center of u/joint caps.

USA Standard Gear® Driveshafts

PART #	FITS	DESCRIPTION
ZDS9142	Jeep	Fits '99-'00 Jeep Cherokee Dana 44 front with 4.0L engine, Aisen Warner 5 speed manual transmission & Kanda transfer case. 27 1/16" long from center of u/joint caps.
ZDS9143	Jeep	Fits '99-'00 Jeep Cherokee Dana 30 front with 4.0L engine, Aisen Warner 4 speed automatic transmission & NP 231 & NP 242 transfer case. 30 5/8" long from center of u/joint caps.
ZDS9144	Jeep	Fits '99-'00 Jeep Cherokee Dana 30 front with 4.0L engine, Aisen Seiki 5 speed manual transmission & Kanda transfer case. 29 1/4" long from center of u/joint caps.
ZDS9311	Jeep	Fits 2001 Cherokee front with 4.0L engine & automatic transmission. 30 11/16" long from center of u/joint caps.
ZDS9312	Jeep	Fits 2001 Cherokee front with 4.0L engine & manual transmission. 29 1/4" long from center of u/joint caps.
ZDS9313	Jeep	Fits '99-'03 Grand Cherokee front with 4.0L engine. 21" long weld to weld. Has CV's on both ends.
ZDS9314	Jeep	Fits '99-'03 Grand Cherokee front with 4.7L engine. 20" long weld to weld.
ZDS9315	Jeep	Fits '01-'05 Wrangler front with 2.4L engine & automatic transmission. 38" long from center of u/joint caps.
ZDS9315A	Jeep	Fits '98-'01 Wrangler front with 4-cylinder engine. 38" long from center of u/joint caps.
ZDS9315B	Jeep	Fits '98-'01 Wrangler front with 6-cylinder engine & automatic transmission. 38" long from center of u/joint caps.
ZDS9316	Jeep	Fits '01-'05 Wrangler front with 2.4L engine & manual transmission. 39 1/2" long from center of u/joint caps.
ZDS9316A	Jeep	Fits '98-'01 Wrangler front with 6-cylinder engine & manual transmission. 38" long from center of u/joint caps.
ZDS9323	Jeep	Fits '02-'05 Jeep Liberty front with 2.8L engine & automatic transmission. 20" long weld to weld.
ZDS9324	Jeep	Fits '02-'05 Jeep Liberty front with 2.4L or 3.7" engine & automatic transmission. 16 1/2" long weld to weld.
ZDS9326	Jeep	Fits '02-'05 Jeep Liberty front with 2.8L engine & manual transmission. 19" long weld to weld.
ZDS9326A	Jeep	Fits '02-'03 Jeep Liberty front with 3.7L engine & manual transmission. 19" long weld to weld.
ZDS9436	Jeep	Fits 1988 Jeep Cherokee, Commanche & Wagoneer front with four cylinder engine, Aisen four or five speed manual transmission, 231 transfer case & 3.55 or 4.11 gear ratio. 25 3/4" long from center of u/joint caps.
ZDS9436A	Jeep	Fits '80-'93 Jeep Cherokee, Wagoneer, J10 & J20 front with eight cylinder engine & automatic transmission. 25 3/4" long from center of u/joint caps.
ZDS9436B	Jeep	Fits '90-'91 Jeep Grand Wagoneer Dana 44 front with 5.9L engine, 727 automatic transmission & 229 transfer case. 25 3/4" long from center of u/joint caps.
ZDS9438	Jeep	Fits 1988 Jeep Cherokee, Commanche & Wagoneer front with six cylinder engine, automatic transmission, 242 or 231 transfer case & 3.08 gear ratio. 29 1/4" long from center of u/joint caps.
ZDS9438A	Jeep	Fits '82-'83 Jeep Cherokee, Wagoneer, J10 & J20 front with six cylinder engine & five speed manual transmission. 29 1/4" long from center of u/joint caps.
ZDS9438B	Jeep	Fits '82-'83 Jeep Cherokee, Wagoneer, J10 & J20 front with six cylinder engine & automatic transmission. 29 1/4" long from center of u/joint caps.
ZDS9438C	Jeep	Fits '96-'97 Jeep Grand Cherokee Dana 30 front with 2.5L engine, five speed manual transmission & 231 transfer case. 29 1/4" long from center of u/joint caps.
ZDS9737	Jeep	Fits '95-'96 Jeep Cherokee Dana 30 front with 2.5L turbo engine, five speed transmission & 231 transfer case. 27 5/8" long from center of u/joint caps.
ZDS9737A	Jeep	Fits 1996 Jeep Grand Cherokee Dana 30 front with 2.5L or 4.0L engine, five speed manual transmission & 231 transfer case. 27 5/8" long from center of u/joint caps.
ZDS9749	Jeep	Fits '85-'86 Jeep Grand Cherokee front with four or five speed transmission. 25 1/16" long from center of u/joint caps.
ZDS9751	Jeep	Fits '71-'73 Jeep J10 & J20 front with 350 engine & four speed automatic transmission. 25 5/16" long from center of u/joint caps.
ZDS9751A	Jeep	Fits '78-'79 Jeep Wagoneer front with V8 engine & four speed hydramatic transmission. 25 5/16" long from center of u/joint caps.
ZDS9752	Jeep	Fits '95-'98 Jeep Cherokee Dana 44 front with 4.0L engine, Aisen five speed manual transmission & Kanda transfer case. 27 1/16" long from center of u/joint caps.
ZDS9752A	Jeep	Fits '90-'94 Jeep Cherokee, Commanche & Wagoneer Dana 44 front with 4.0L engine, Aisen five speed manual transmission & Kanda transfer case. 27 1/16" long from center of u/joint caps.
ZDS9752B	Jeep	Fits '72-'73 Jeep J10 & J20 front with V8 engine & automatic transmission. 27 1/16" long from center of u/joint caps.
ZDS9754	Jeep	Fits Jeep Cherokee, Wagoneer, J10 & J20 front with six or eight cylinder engine & three speed transmission. 20" long from center of u/joint caps.
ZDS9754A	Jeep	Fits 1979 Jeep Wagoneer, J10 & J20 front with V8 engine & three speed transmission. 20" long from center of u/joint caps.
ZDS9755	Jeep	Fits '74-'77 Jeep Cherokee, Wagoneer, J10 & J20 front with six or eight cylinder engine, four speed automatic transmission & Quadratrac. 24 3/8" long from center of u/joint caps.

USA Standard Gear® Driveshafts

PART #	FITS	DESCRIPTION
ZDS9756	Jeep	Fits '74-'77 Jeep J10 & J20 front with six cylinder engine & four speed automatic transmission. 29" long from center of u/joint caps.
ZDS9756A	Jeep	Fits '78-'79 Jeep Wagoneer, J10 & J20 front with six speed engine & four speed automatic transmission. 29" long from center of u/joint caps.
ZDS9757	Jeep	Fits '77-'79 Jeep CJ7 front with automatic transmission. 36 5/8" long from center of u/joint caps.
ZDS9760	Jeep	Fits 1996 Jeep Grand Cherokee Dana 30 front with 4.0L engine, five speed manual transmission & 242 transfer case. 31 3/4" long from center of u/joint caps.
ZDS9761	Jeep	Fits '95-'97 Jeep Grand Cherokee Dana 30 front with 5.2L engine, automatic transmission & 249 transfer case. 12 1/4" long from weld to weld.
ZDS9762	Jeep	Fits '95-'98 Jeep Grand Cherokee Dana 30 front with 4.0L engine, automatic transmission & 249 transfer case. 14 1/4" long from weld to weld.
ZDS9763	Jeep	Fits '82-'83 Jeep J10 front with automatic transmission. 31 3/16" long from center of u/joint caps.
ZDS9764	Jeep	Fits '95-'98 Jeep Cherokee Dana 44 front with 4.0L engine, Aisen four speed automatic transmission & Kanda transfer case. 28 3/4" long from center of u/joint caps.
ZDS9764A	Jeep	Fits '90-'94 Jeep Cherokee, Commanche & Wagoneer Dana 44 front with 4.0L front with Aisen five speed automatic transmission case & Kanda transfer case. 28 3/4" long from center of u/joint caps.
ZDS9764B	Jeep	Fits '82-'83 Jeep J10 front with manual transmission. 28 3/4" long from center of u/joint caps.
ZDS9765	Jeep	Fits '97-'06 Jeep Wrangler front with 2.5L or 4.0L engine, five speed manual transmission & 231 or 242 transfer case. 38 1/4" long from flange to flange.
ZDS9765A	Jeep	Fits 1997 Jeep Wrangler Dana 30 front with 2.5L or 4.0L engine, four speed automatic transmission & 231 or 242 transfer case. 38 1/4" long from flange to flange.
ZDS9766	Jeep	Fits '03-'06 Jeep Wrangler front with 4.0L engine & 231 or 241 transfer case. 39 1/2" long from center of u/joint caps.
ZDS9766B	Jeep	Fits '97-'06 Jeep Wrangler front with 2.5L or 4.0L engine, four speed automatic transmission & 231 or 242 transfer case. 39 1/2" long from center of u/joint caps.
ZDS9766C	Jeep	Fits 1997 Jeep Wrangler Dana 30 front with 4.0L engine, five speed manual transmission & 231 or 242 transfer case. 39 1/2" long from center of u/joint caps.
ZDS9766D	Jeep	Fits '97-'00 Jeep Wrangler front with 4.0L engine, automatic transmission & 231 transfer case. 39 1/2" long from center of u/joint caps.
ZDS9766E	Jeep	Fits '97-'00 Jeep Wrangler front with 4.0L engine & 241 transfer case. 39 1/2" long from center of u/joint caps.
ZDS9767	Jeep	Fits '02-'04 Jeep Grand Cherokee front with 4.0L engine. 21 1/2" long weld to weld.
ZDS9769	Jeep	Fits 1996 Jeep Grand Cherokee Dana 30 front with 5.2L engine, automatic transmission & 249 transfer case. 11 1/4" long from weld to weld.
ZDS9770	Jeep	Fits '95-'96 Jeep Grand Cherokee Dana 30 front with 4.0L engine, automatic transmission & 249 transfer case. 13 1/4" from weld to weld.
ZDS9771	Jeep	Fits 1995 Jeep Grand Cherokee front with 5.2L engine, automatic transmission & 249 transfer case. 15 3/5" long from weld to weld.
ZDS9773	Jeep	Fits '93-'95 Jeep Grand Cherokee Dana 30 front with 5.2L engine, automatic transmission & 231 transfer case. 15 3/8" long from center of u/joint caps.
ZDS9774	Jeep	Fits '93-'95 Jeep Grand Cherokee Dana 30 front with 4.0L engine, 4.0L engine & 231, 242 or 249 transfer case. 30 1/2" long from center of u/joint caps.
ZDS9775	Jeep	Fits '92-'95 Jeep Grand Cherokee Dana 30 front with 4.0L engine, five speed manual transmission & 231 transfer case. 28" long from center of u/joint caps.
ZDS9776	Jeep	Fits '95-'98 Jeep Cherokee Dana 30 front with 4.0L engine, Aisen four speed automatic transmission & 231 or 242 transfer case. 30 1/2" long from center of u/joint caps.
ZDS9776A	Jeep	Fits '92-'93 Jeep Grand Cherokee Dana 30 front with 4.0L engine, Aisen four speed automatic transmission & 231, 242 or 249 transfer case. 30 1/2" long from center of u/joint caps.
ZDS9779	Jeep	Fits '96-'98 Jeep Grand Cherokee Dana 30 front with 5.2L or 5.9L engine, automatic transmission & 249 transfer case. 29 5/8" long from center of u/joint caps.
ZDS9780	Jeep	Fits 2005 Jeep Grand Cherokee front. 15 1/4" long from weld to weld.
ZDS9781	Jeep	Fits '02-'03 Jeep Grand Cherokee front with 4.7L engine. 32" long from center of u/joint caps.
ZDS9820	Jeep	Fits '84-'86 Jeep Grand Cherokee front. 25 1/8" long from weld to weld.
ZDS9271	Land Rover	Fits 2002 Land Rover Discovery front. 24 1/4" long flange to flange.
ZDS9271A	Land Rover	Fits '00-'01 Land Rover front. 24 1/4" long flange to flange.

USA Standard Gear® Driveshafts

PART #	FITS	DESCRIPTION
ZDS9271B	Land Rover	Fits '00-'01 Land Rover Discovery II front. 24 1/4" long flange to flange.
ZDS9272	Land Rover	Fits '89-'94 Range Rover front with 3.9L & 4.2L engine. 24 1/2" long flange to flange.
ZDS9273	Land Rover	Fits '96-'02 Range Rover front. 24 1/4" long flange to flange.
ZDS9273A	Land Rover	Fits 1995 Range Rover front with 4.0L SE engine. 24 1/4" long.
ZDS9921	Land Rover	Fits '98-'99 Toyota 4Runner & Pickup front, excluding series II. 23 1/4" long from flange to flange.
ZDS9921A	Land Rover	Fits '94-'97 Land Rover Defender 90. 23 1/4" long from flange to flange.
ZDS9921B	Land Rover	Fits '87-'88 Land Rover Range Rover with 3.5L engine. 23 1/4" long from flange to flange.
ZDS9923	Land Rover	Fits '83-'86 Land Rover Range Rover. 24 1/2" long from flange to flange.
ZDS9924	Land Rover	Fits '87-'95 Land Rover Range Rover front. 32 3/4" long from flange to flange.
ZDS9317A	Lincoln	Fits '99-'02 Lincoln Navigator & Aviator front with 5.4L engine. 25" long weld to weld.
ZDS9462C	Lincoln	Fits '03-'05 Lincoln Navigator & Aviator front. 22 1/4" long from weld. To weld.
ZDS9542A	Lincoln	Fits '02-'04 Lincoln Navigator & Aviator front. 20" long from weld to weld.
ZDS9543A	Lincoln	Fits '98-'02 Lincoln Navigator & Aviator front. 38 5/8" long from flange to flange.
ZDS9293D	Mazda	Fits '98-'04 Mazda B3000 front. 24" long weld to weld.
ZDS9293E	Mazda	Fits '98-'05 Mazda B4000 front. 24" long weld to weld.
ZDS9295	Mazda	Fits '94-'97 Mazda B2300 front. 29 7/16" long from center of u/joint caps.
ZDS9295A	Mazda	Fits '94-'97 Mazda B3000 front with automatic transmission. 29 7/16" long from center of u/joint caps.
ZDS9296	Mazda	Fits Mazda '94-'97 B3000 & B4000 front with manual transmission. 29 7/16" long from center of u/joint caps.
ZDS9463A	Mazda	Fits '01-'06 Mazda Tribute rear with automatic transmission. Rear section of two-piece driveshaft. 22 1/4" long weld to weld.
ZDS9661D	Mazda	Fits '91-'94 Mazda Navajo front. 29 7/16" long from center of u/joint caps.
ZDS9661E	Mazda	Fits '95-'97 Mazda Pickup front with 4.0L engine. 29 7/16" long from center of u/joint caps.
ZDS9661F	Mazda	Fits 1994 Mazda Pickup front with 4.0L engine & four speed automatic or five speed manual transmission. 29 7/16" long from center of u/joint caps.
ZDS9662B	Mazda	Fits 1990 Mazda Pickup rear with 2.3L, 3.0L or 4.0L engine, four speed automatic transmission or five speed manual transmission & short wheelbase. 40 9/16" long from center of u/joint caps.
ZDS9293C	Mercury	Fits '06-'07 Mercury Mountaineer front with 4.0L engine. 24" weld to weld.
ZDS9294B	Mercury	Fits '06-'07 Mercury Mountaineer front with 5.0L engine. 23" long weld to weld.
ZDS9451C	Mercury	Fits '97-'98 Mercury Mountaineer four door front with 4.0L engine. 24" long weld to weld.
ZDS9462D	Mercury	Fits '02-'05 Mercury Mountaineer four door front. 22 1/4" long weld to weld.
ZDS9622A	Mercury	Fits 1996 1/2 Mercury Mountaineer front with round flange at transfer case. 27 11/16" long from center of u/joint caps.
ZDS9623A	Mercury	Fits 1996 Mercury Mountaineer four door front. 28 1/4" long from center of u/joint caps.
ZDS9329B	Oldsmobile	Fits '00-'01 Oldsmobile Bravada front. 19" long weld to weld.
ZDS9332B	Oldsmobile	Fits '02-'04 Oldsmobile Bravada front. 19 1/4" long weld to weld.
ZDS9356	Oldsmobile	Fits '90-'94 Oldsmobile Bravada front. 24 1/4" long flange to flange.
ZDS9359D	Oldsmobile	Fits '95-'99 Oldsmobile Bravada front. Excluding 3.42 or 3.73 ratios. Excluding HD tow package. 29 1/2" long from flange to flange.
ZDS9364	Oldsmobile	Fits '95-'98 Oldsmobile Bravada all wheel drive front with 3.42 or 3.73 ratios & HD tow package. 25 1/4" long from weld to weld.
ZDS9267	Toyota	Fits Toyota Sequoia front. 31 1/8" long flange to flange.
ZDS9373	Toyota	Fits '73-'75 Toyota Pickup front. 18 1/4" long from flange to flange.
ZDS9374	Toyota	Fits '76-'77 Toyota Pickup front. 18 1/4" long from flange to flange.
ZDS9375	Toyota	Fits '78-'83 Toyota 4Runner & Pickup front. 18 5/8" long from flange to flange.
ZDS9376	Toyota	Fits '84-'86 Toyota 4Runner & Pickup front. 22" long from flange to flange.
ZDS9917	Toyota	Fits '89-'95 Toyota 4Runner & Pickup front with four cylinder engine, manual transmission & starter & clutch fork on the left.



Gear for the Lifestyle You Lead



LOCKERS • KITS • AXLES • GEARS • REAR AXLE ASSEMBLIES • OE REPLACEMENT DRIVESHAFTS

